

LD5400T Thunderbolt 3 Dock with K-Fob™ Smart Lock

Part Number: K39470M (Multi-User) K33476NA/EU (Single-User)
UPC Code: 085896 33470 5 (Multi-User) 085896 33476 5 (Single-User)



Combining a best-in-class Thunderbolt 3 docking experience with next generation laptop locking technology, Kensington delivers a game-changing 2-in-1 docking and locking solution for both Windows and Mac users. The LD5400T dock combines the productivity benefits of Thunderbolt 3 connectivity with K-Fob Smart Lock technology –with a master Fob access option for IT administrators. Get more speed, more pixels, more power and more possibilities while reducing laptop theft and improving compliance with corporate security protocols. Secures thin and light laptops 11-15" in size, including models from Apple, Dell, HP, Lenovo and other manufacturers.

All specifications are subject to change without notice. Please check with your supplier for exact offers.
Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

FEATURES & BENEFITS

- **Access Options** – Single-User (K33476NA/EU) for a simple locking experience for fixed desk users or Multi-User with Admin Control (K39470M) for hot-desking, hoteling and/or shared workspaces
- **Cross-Platform Compatibility** allows dock to work for both Windows and Mac users
- **Thunderbolt 3 Technology** allows a single port to provide up to 40Gbps of data speed, and connectivity to Thunderbolt-enabled devices, billions of USB devices, and dual 4K UHD displays – all while supplying up to 85W of power to the host device¹
- **5K for Single Monitor or 4K for Dual Monitors** via DisplayPort v1.2 or HDMI (adapters sold separately; USB-C to HDMI - K33993WW; USB-C to VGA - K33994WW; DisplayPort to HDMI - K33984WW)
- **Productivity Ports** allow users to connect to peripheral accessories via two Thunderbolt 3 ports – one for power delivery and data transfer and one for USB-C compatibility or daisy chaining up to five additional Thunderbolt-enabled devices, four USB 3.0 ports (5V/0.9A), one 1Gbps Ethernet port, and a combo 3.5mm audio in/out port
- **K-Fob™ Smart Lock Technology** provides encrypted security with the simplicity of keyless locking
- **Professional Locking Design** conforms to Kensington’s industry-leading testing standards for durability, provides unobstructed access to the laptop’s side ports and does not require any laptop modifications
- **Adjustable Security Arms** accommodate 11”-15” thin and light laptops and easily adjust without tools
- **Scratch-Resistant Bumpers** protect laptop screen and frame from cosmetic damage
- **Flexible Security Options** allow you to secure the station to any fixed object using the removable tethered lock cable, or use the built-in Kensington Security Slot with a cable lock, or permanently secure using the desktop mounting holes
- **Register & Retrieve™** program provides free and secure cloud-based key fob replacement
- **3 Year Limited Warranty**

Available in Multi-User and Single-User – Which Access Option do you need?

	Multi-User with Admin Control 39470M	Single-User K33476NA/EU
Target Environment	Shared workspaces and dedicated desks	Dedicated desk
Administrator Key Fob Access	Yes	No
K-Fob™ Registration Required	Yes	No
Accepts Any Registered K-Fob™	Yes	No; only accepts issued K-Fob™
Access Details	Insert laptop, push lock arms to secure, use any registered K-Fob™ to lock, use same K-Fob™ to unlock	Insert laptop, push lock arms to secure, use supplied K-Fob™ to unlock

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

Technical Specifications

SYSTEM REQUIREMENT

- **Operating Systems Supported:**
Windows 10 and macOS 10.13 or later
- **System Resource Requirement:**
Thunderbolt 3 supported system
- **Systems Supported:** Rear-hinge laptops 11" to 15"
- **Plug & Play:** Yes for Thunderbolt 3 host computers

HOST CONNECTIVITY

- **Host Docking Connector:**
Thunderbolt 3 with power delivery up to 85W



VIDEO CONNECTIONS

- **Video Connectors:**
 - DisplayPort v1.2
- **HDCP Support:** No
- **Maximum Resolution Supported:**
 - Single Monitor: 5120 x 2880 @ 60Hz
 - Dual Monitors: 4096 x 2160 @ 60Hz

USB CONNECTIONS

- **Thunderbolt 3 Ports:** Two; (1) for power delivery and data transfer and (1) for USB-C compatibility or daisy chaining up to 5 additional Thunderbolt-enabled devices
- **USB-A 3.0 Ports:** Four (5V/0.9A) ports providing speeds up to 5Gbps

NETWORK CONNECTIONS

- **Ethernet Port:** RJ45
- **Compatible Ethernet Speeds:** 10/100/1000 Mbps

AUDIO CONNECTIONS

- **Audio Connectors:**
 - One 3.5mm combo port for audio in & out
- **Audio Channels Supported:** Stereo LR

LED INDICATOR

- **Blue LED:** Correct key fob; Security Arms will open
- **Green LED:** Locked
- **Red LED:** Error/incorrect key fob

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

POWER & ENVIRONMENTAL

- **Power Adapter Rating:**
 - **Input:** 100-240V; 2.5A Max
 - **Output:** 20V DC; 8.5A, center-pin positive polarity
- **Operating Temperature:** 0 to 40° C (32 to 140° F)
- **Storage Temperature:** -40 to 70° C (-40 to 158° F)
- **Relative Humidity:** 5% to 95% non-condensing

PRODUCT DIMENSIONS

- **Unit Dimensions**
 - **Width:** 320mm (12.6in)
 - **Depth:** 220mm (8.7in)
 - **Height:** 44mm (1.7in)
- **Unit Weight:** 1.5kg (3.4lbs)
- **Security Cable:** 7x7 wire; 4mm core coated to 5mm; Length 1.8m (6.0ft)
- **Thunderbolt 3 Cable:** 0.5m (1.6ft)

PACKAGING DIMENSIONS

- **Packaging Style:** White Box
- **Packaging Dimensions:**
 - **Width:** 362mm (14.3in)
 - **Depth:** 320mm (12.6in)
 - **Height:** 83mm (3.3in)
- **Packaging Weight:** 3.47kg (7.65lbs)
- **Master Carton:** 5 pcs
- **Package Content:**
 - One LD5400T Dock with K-Fob Smart Lock
 - Two User Key Fobs on One Key Ring
 - One 0.5M Thunderbolt 3 Intel Certified Passive Cable (40Gbps)
 - One 0.5M USB 2.0 Male to USB 2.0 Male Cable
 - One Security Cable
 - One Quick Start Instruction Guide
 - Warranty Information & Compliance Sheet

COUNTRY OF ORIGIN, REGULATORY, AND WARRANTY

- **Country of Origin:** China
- **Certifications & Compliance:** CE, FCC, IC, RCM, ROHS, WEEE, REACH, Thunderbolt Certification
- **Warranty:** 3-Years Limited - worldwide

OTHER FEATURES


- Kensington Security Slot

SPECIAL NOTES


- **Multiple SKUs**
 - Multi-User with Admin Control K39470M
 - Single-User K33476NA/EU
- **Adapters Sold Separately**
 - USB-C to HDMI (K33993WW)
 - USB-C to VGA (K33994WW)
 - DisplayPort to HDMI (K33984WW)

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

FRONT



BACK



All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.