

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8


Make your office more secure, efficient, and productive.

The 600-sheet OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut speeds and secures high-volume shredding, helping to make larger offices more productive. Patented auto feed with 4-digit PIN lock lets you load up to 600 sheets of paper, lock it until shredding is complete, and walk away. P-5 Micro Cut shredding turns glossy paper, junk mail, staples, paper clips and credit cards into 1/16" x 9/16" (2mm x 15mm) pieces. Intelligent™ Jam Clearance automatically reverses the blades to clear excess paper from the cutter. A 29-gallon (1,300-sheet) bin with full indicator accommodates frequent use and includes built-in bag storage to keep new bags ready. Runs quietly and continuously for 240 minutes without overheating. Intelligent™ Power Save switches modes when not in use to save energy. Sturdy casters make it easy to use the shredder wherever you need it. Two-year warranty.

Features include:

- · Patented auto feed with 4-digit PIN lock
- Secure P-5 1/16" x 9/16" (2mm x 15mm) Micro Cut
- Quiet motor with self-cleaning Intelligent™ Jam Clearance
- 240-minute continuous run time
- 29-gallon (1,300-sheet) bin with full indicator
- Built-in bag storage
- Intelligent™ Power Save
- · Sturdy casters







Kensington

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8

Intelligent™ Power
Save – Automatically
switches to this
mode when not in
use (but still turned
on) to save energy.

Patented Auto Feed with 4-Digit PIN Lock – Lets you load up to 600 sheets of paper, lock it until shredding is complete, and walk away. Shreds staples, paper clips, credit cards, junk mail, and glossy paper.

Quiet Motor with Self-Cleaning
Intelligent™ Jam Clearance — Reverses the
blades when too much paper is inserted
and upon completing a job to clear paper
from the cutter, helping avoid timeconsuming and frustrating paper jams.



240-Minute Continuous Run Time – Runs without overheating, for large jobs.

P-5 Security Rating — Micro cut shredding turns paper into 1/16" x 9/16" (2mm x 15mm) pieces. Ideal for business confidential documents.



29-Gallon (1,300-Sheet) Bin with Full Indicator and Bag Storage – Shred more, empty less. An indicator lets you know when the bin is full, and built-in bag storage keeps new bags ready.

Sturdy Casters – Make it easy to use the shredder wherever you need it.

Kensington

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8







| _ | | | | |
|---|-----|-----|-----|--------|
| - | ДЭ. | tı. | ıra | 2 |
| | | | | |

| reacares | | | |
|-----------------------------|--------------------------|--------------------------|-------------------------|
| Model | A1500-HS | A3000-HS | A6000-HS |
| Users | 1-3 users | 5 to 10 | 10 to 20 |
| Cut Type | Micro Cut | Micro Cut | Micro Cut |
| Security Rating | P-5 | P-5 | P-5 |
| Manual Sheet Capacity | 6 | 8 | 10 |
| Auto Sheet Capacity | 150 | 300 | 600 |
| Run Time | 30 minutes | 60 minutes | 240 minutes |
| Bin Capacity | 11.6 gallons (44 liters) | 15.8 gallons (60 liters) | 29 gallons (110 liters) |
| Bin Capacity in Sheets | 500 | 700 | 1300 |
| Bin Style | Pull-out | Pull-out | Cabinet |
| Shreds Staples, Paper Clips | • | • | • |
| Shreds Credit Cards | • | • | • |
| Intelligent™ Jam Clearance | • | • | • |
| Intelligent™ Power Save | • | • | • |
| Bin Full Indicator | • | • | • |
| Casters for Mobility | | • | • |
| Noise Level | 55 dBa | 55 dBa | 55 dBa |
| Lockable Chamber | | 4-digit PIN lock | 4-digit PIN lock |
| Product Warranty | 2-years | 2-years | 2-years |



Kensington

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8

| - | | | | | - | | | |
|---|-----|----------|----|------|----------|-----|-------|---|
| ŀ | ٦rc | γ | 11 | ICT. | 1)1 | mer | rsion | - |

| Height | 40.67in (1033mm) |
|----------------|--------------------------------|
| Width | 23.34in (593mm) |
| Depth | 20.07in (510mm) |
| Weight | 105.8lbs (48kg) |
| Security Level | P-5 - 1/16" x 9/16" (2 x 15mm) |
| Cut Style | Micro Cut |

Packaging Dimensions

| Height | 44.29in (1125mm) |
|--------|-------------------|
| Width | 29.40in (747mm) |
| Depth | 26.65in (677mm) |
| Weight | 115.7lbs (52.5kg) |

Power & Environmental

| Operating Temperature | 5°C / 41°F - 30°C / 86°F |
|-----------------------|-----------------------------|
| Opertaing Humidity | 30-70% non condensing |
| Storage Temperature | -20°C / -4°F – 70°C / 158°F |
| Storage Humidity | 30-95% non condensing |
| Voltage | 120v / 60Hz |
| | |

Country of Origin, Regulatory, and Warranty

| Country of Origin | China |
|-----------------------|--------------------------------------|
| Regulatory Compliance | IEC, UL, CAN/CSA, FCC, ICES, TUV-Süd |
| Product Warranty | 2-Years |

