



## VeriMark™ NFC+ USB-A Security Key

Part Number: K64738WW | UPC: 0 85896 64738 6

Two-factor  
security,  
one tap.

Today's digital landscape is rife with password-related vulnerabilities—from weak or reused credentials to sophisticated phishing schemes—and IT professionals need enterprise-grade solutions.

The VeriMark™ NFC+ USB-A Security Key provides a strong, hardware-based multifactor authentication solution with FIDO CTAP 2.1. By requiring a physical tap via USB-A or NFC, the key ensures that only legitimate login attempts succeed, thwarting phishing attacks and unauthorized access.

Despite its advanced security, this solution is convenient and user-friendly: no software installation or batteries needed—just tap the key to authenticate across devices and platforms.

- FIDO2 Level 2 certified security for phishing resistant protection
- FIDO CTAP 2.1 for enhanced security features (e.g. resident credentials, Passkey support)
- Backwards compatibility with CTAP 2
- Tap via USB-A port or NFC
- No drivers needed
- Windows, macOS, ChromeOS, iOS and ChromeOS compatible
- Supports Passkeys and Apple ID
- Compact and portable
- IP68-rated for dependable performance
- 2-year limited warranty

## VeriMark™ NFC+ USB-A Security Key

Part Number: K64738WW | UPC: 0 85896 64738 6



### FIDO2 Level 2 Certified Security

Enterprise-grade authentication that protects against phishing, identity theft, and unauthorized access.



### FIDO CTAP 2.1 Protocol Support

Supports the latest FIDO CTAP 2.1 protocol and is backward compatible with CTAP 2, enabling enhanced security features such as resident credentials, user verification, and cross-platform Passkey support. It also offers enterprise attestation, verifying the authenticity of devices for secure access within an organization.




### USB-A + NFC Dual Interface

Tap-and-go convenience with USB-A connectivity and contactless NFC support for both mobile and desktop devices.




### VeriMark™ Software Suite

Works instantly with no drivers or software installation required. For expanded functionality, optional software (VeriMark™ Key Manager, VeriMark™ Access\*, and VeriMark™ Companion) is available to provide additional features and enterprise integration capabilities.



### Cross-Platform Compatibility

Seamless integration across all major platforms, including Windows 10/11, macOS, ChromeOS, iOS and Android. Compatible with browsers such as Safari, Chrome, Firefox, Opera, and Edge. Also supports Passkeys, Apple ID, FIDO2, U2F, and PIV for enhanced security and convenience.



### Compact & Portable

Slim design with an easy-touch surface for quick authentication on the go. Attaches to your keychain for convenience and portability.



### Durable Design

Engineered to endure harsh conditions, the IP68-rated design provides water and dust protection, together with robust crush resistance.

\*ARM-based CPU laptops are not supported by VeriMark™ Access at this time. Not compatible with macOS.

## VeriMark™ NFC+ USB-A Security Key

Part Number: K64738WW | UPC: 0 85896 64738 6

### System Requirements

Operating Systems Supported	Windows 10/11, macOS 10.15 and later, ChromeOS 75 and later, iOS 13.3 and later, Android 8.0 and later
Plug & Play	Yes, no drivers needed
Software	Download from <a href="https://www.kensington.com">Kensington.com</a>
Additional Software Information	VeriMark™ Key Manager, VeriMark™ Access, VeriMark™ Companion (phone app)

### Interface & Connections

Connector	USB-A, NFC
USB Connector Type	USB-A 2.0/3.0

### Security

Secure IC	NXP JCOP4 P71
USB Data Encryption	RSA-2048/ECC P-256 & P-384/AES-128, AES-192, AES-256/3DES/SHA-1, SHA-256

### LED Indicators

Blue LED	Request for Tap-and-Go
----------	------------------------

### Product Dimensions

Unit Weight	0.14oz (4g)
Unit Dimensions	1.90 x 0.72 x 0.16in (48 x 18 x 4mm)
Enclosure Color & Material	Nylon 6 (polyamide 6), glass-fiber reinforced

### Packaging Dimensions

Packaging Style	FSC® certified brown envelope
Packaging Dimensions	3.66 x 3.46 x 4.88in (93 x 88 x 124mm)
Packaging Weight	0.57lb (0.26kg)
Master Carton	10pcs
Packaging Content	1 x VeriMark™ NFC + USB-A Security Key 1 x Welcome Insert 1 x Warranty Insert 1 x RoHS Sheet

## VeriMark™ NFC+ USB-A Security Key

Part Number: K64738WW | UPC: 0 85896 64738 6

### Power & Environmental

Operating Temperature	32 to 104°F (0 to 40°C)
Storage Temperature	-4 to 185°F (-20 to 85°C)

### Country of Origin, Regulatory and Warranty

Country of Origin	Taiwan
Certifications & Compliance	REACH, RoHS, FCC, CE, WEEE, FIDO2 Security Level 2, CTAP 2.1, IP68
Warranty	2-Year Limited