



SD4843P EQ USB-C® 10Gbps Triple Video Driverless Dock

Part Number: K32803EU | EAN Code: 5028252653534

The essential USB-C® dock.

IT buyers often struggle with managing different docks for various laptops, missing out on the advantages of a unified solution that supports multiple external monitors.

The SD4843P EQ USB-C 10Gbps Triple Video Driverless Dock addresses these issues with a simple solution that is compatible with Thunderbolt™ 5, Thunderbolt™ 4, USB4® and USB-C® Alt Mode Windows laptops.

SD4843P provides all the essential ports needed for professional workflows, including support for up to three external 4K monitors, convenient front and rear high-speed USB-A and USB-C® ports, laptop and phone charging, audio output and Ethernet connectivity.

Features include:

- Up to three external monitors via 1 x HDMI® and 2 x DisplayPort™ (DP) connections
- Compatible with Thunderbolt™ 5, Thunderbolt™ 4, USB4® and USB-C® Alt-Mode devices running Windows 10 or 11
- Up to 100W of power to host laptop and connected accessories
- 10-in-1 design
- Outer case made of plastic containing 66% post-consumer recycled (PCR) content
- Security cable lock slots
- 3-year limited warranty. This warranty does not affect your statutory rights.




SD4843P EQ USB-C® 10Gbps Triple Video Driverless Dock

Part Number: K32803EU | EAN Code: 5028252653534

Front




Back




SD4843P EQ USB-C® 10Gbps Triple Video Driverless Dock

Part Number: K32803EU | EAN Code: 5028252653534



Triple Video Displays

Supports up to three external monitors via 1 x HDMI® and 2 x DisplayPort™ (DP) connections – delivering up to Triple 4K @ 30Hz* or up to Single 8K @ 30Hz*.




No Drivers or Downloads

Supports Thunderbolt™ 5, Thunderbolt™ 4, USB4®, and USB-C® Alt-Mode laptops running Windows 10 or Windows 11. A convenient plug-and-play dock that does not require drivers or downloads.




Up to 100W Dynamic Power Delivery

Delivers power whenever and wherever you need it - to host and connected accessories even when the laptop is not docked. Supports up to 100W of power delivery to USB-C® Alt Mode laptops and provides optimal performance under any usage scenario.



USB Ports with KonstantCharge™

All five high-speed USB ports feature KonstantCharge™ technology, ensuring that connected devices receive power and continue to charge even when the host laptop is undocked.



10-in-1 Design

Provides 1 x HDMI®2.1 video port, 2 x DP1.4 video ports, 5 x USB 3.2 Gen2 10Gbps ports, 1 x combo audio jack and 1 x Gigabit Ethernet port.**




Sustainability Attributes

Outer case made of plastic containing 66% post-consumer recycled (PCR) content and delivered in Forest Stewardship Council (FSC®) certified packaging.



Security Cable Lock Slots

Protect your investment with a Kensington cable lock (K65020EU or K60603WW), sold separately.



Free Kensington DockWorks™ Software

Free DockWorks™ software for Windows users delivers the best connection, performance and security from your Kensington dock.

* For maximum resolution, the laptop, docking station and monitor must all support DSC v1.2 (Display Stream Compression).

** This dock supports the Gigabit Ethernet standard which provides a maximum data rate of 1Gbps. Actual Ethernet speeds may vary depending on, but not limited to, Internet bandwidth, Ethernet cables, network switches and the hardware and firmware performance of the host computer.

SD4843P EQ USB-C® 10Gbps Triple Video Driverless Dock

Part Number: K32803EU | EAN Code: 5028252653534

System Requirements

Systems Supported	Laptops with USB-C® port (must support USB-C® Alt Mode)
Operating Systems Supported	Windows 10 or 11
Plug & Play	Yes
System Resource Requirement	CPU: Intel® Core™ i5 10th generation or above Memory: 8Gb or above GPU: Intel® UHD Graphics 630 or above
Additional Software Information	Compatible with DockWorks (Windows only)
USB-C® Power Delivery	PD3.0: 5V, 9V, 12V, 15V/3A & 20V/5A (up to 100W)

USB Interface

Type of USB Connector	USB-C®
Host Connector	Supports USB 3.2 Gen2 Type-C with USB-C® Alt Mode

USB, Video and Ethernet Connections

Ports	1 x USB-C® 3.2 Gen2 (5V/1.5A), BC 1.2 1 x USB-A 3.2 Gen2 (5V/1.5A) 3 x USB-A 3.2 Gen2(5V/0.9A) 1 x HDMI®2.1 2 x DP1.4 1 x Ethernet 10/100/1000Mbps
-------	---

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000Mbps

Host Connectivity

Host Docking Connector	USB-C® with Dynamic Power Delivery up to 100W
------------------------	---

LED indicator

Location	Power indicator (White LED)
----------	-----------------------------

Material Specifications

Exterior	PC + ABS with texture
Bottom	PC + ABS with texture
Product Colour	Black
Enclosure Colour & Material	Black PC+ABS with Texture
Post-Consumer Recycled Content	Outer case made of plastic containing 66% post-consumer recycled (PCR) content

SD4843P EQ USB-C® 10Gbps Triple Video Driverless Dock

Part Number: K32803EU | EAN Code: 5028252653534

Video Connections

Video Connectors	1 x HDMI®2.1 2 x DP1.4
Maximum Resolution Supported	Up to 8K @ 30Hz
Resolution Table	Refer to the resolution table below for more details.
HDCP Support	Supports HDCP 1.4 & 2.3

Windows 10 Windows 11				
Maximum	^[1] USB-C® Alt Mode with DP1.4 HBR3 DSC enabled	Up to 8K @ 30Hz	Up to 4K @ 60Hz	Up to 4K @ 30Hz
Standard	USB-C® Alt Mode with DP1.4 HBR3 DSC disabled	Up to 4K @ 60Hz	Up to 2K @ 60Hz	1080p @ 60Hz
Minimum	USB-C® Alt Mode with DP1.2 HBR2 with DSC disabled	Up to 4K @ 30Hz	Up to 1080p @ 60Hz	Up to 900p @ 60Hz

[1] This USB-C® dock is compatible with Thunderbolt™ 4, Thunderbolt™ 5 and USB4® laptops; however, it operates at a bandwidth of up to 10Gbps

Audio Connections

Audio Connectors	1 x 3.5mm Audio Combo Jack
Audio Channels Supported	Stereo LR

Other Features

Security Slot	Kensington Security Slot Kensington Nano Security Slot
---------------	---

Product Dimensions

Unit Weight	0.254kg (0.56lbs)
Unit without Peripherals	200 x 85 x 30mm (7.87 x 3.34 x 1.18")
Cable Length	1m (3.3')

SD4843P EQ USB-C® 10Gbps Triple Video Driverless Dock

Part Number: K32803EU | EAN Code: 5028252653534

Packaging Dimensions

Packaging Style	Forest Stewardship Council (FSC®) Certified Brown Package
Packaging Weight	0.99kg (2.18lbs)
Packaging Dimensions	217 x 108 x 102mm (8.54 x 4.25 x 4.01")
Packaging Content	1 x SD4843P EQ USB-C® Triple 4K Display Docking Station 1 x 1m USB-C 3.2 Gen2 Passive Cable 1 x 135W Power Supply Unit 1 x UK and 1 x EU Power Cord 1 x Quick Installation Guide 1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card
Master Carton	6pcs

Power & Environmental

Power Adapter Rating	Input: 100-240V; 2A Output: 21V DC 6.43A (135W)
Relative Humidity	0% to 85% operating temperature @ 25°C (77°F)
Operating Temperature	0 to 45°C (32 to 113°F)
Storage Temperature	-18 to 60°C (-0.4 to 140°F)

Country of Origin, Regulatory and Warranty

Country of Origin	Taiwan
Certifications & Compliance	CE, FCC, ICES, RCM, UKCA, CB, RoHS, REACH, ACCO RSL
Warranty	3-Year Limited Warranty. This warranty does not affect your statutory rights



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2025 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT52682EN

Kensington
The Professionals' Choice™