

Kensington®



Charge & Sync Cables

Charge & Sync Lightning Cable (5-pack)
Charge & Sync USB-C Cable (5-pack)

Part Number: K67864WWA | UPC Code: 0 85896 67864 9
Part Number: K65610WW | UPC Code: 0 85896 65610 4

Gold standard
performance
and strength.

For gold-standard cable performance and strength, look no further than Charge & Sync cables. Great for any application, and perfectly suited for Kensington Charge & Sync cabinets, allowing the cabinet door clearance to close completely. Charge, sync videos, music, photos, and more, fast. The encased anti-twist abrasion-resistant cable is tested to withstand at least 10,000 cycles of 90-degree bends. Its compact length (12.9"/327mm) helps reduce cable clutter and resists tangles. Copper wire ensures quality and reliability. Available with Lightning or USB-C connectors.

Features include:

- Outstanding performance — charge, sync videos, music, photos, and more, fast
- Encased anti-twist abrasion-resistant cable tested to withstand at least 10,000 cycles of 90-degree bends
- Compact length (12.9"/327mm) helps reduce cable clutter and resists tangles
- 90-degree USB-A end is perfectly suited for Kensington Charge & Sync cabinets, allowing the door clearance to close completely
- Copper wire ensures quality and reliability
- Available with Lightning or USB-C connectors



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k21-20108p

Kensington

The Professionals' Choice™

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com

Charge & Sync Cables

Charge & Sync Lightning Cable (5-pack)

Part Number: K67864WWA | UPC Code: 0 85896 67864 9

Charge & Sync USB-C Cable (5-pack)

Part Number: K65610WW | UPC Code: 0 85896 65610 4



Performance

Charge, sync videos, music, photos, and more, fast.



Reliability

Encased anti-twist abrasion-resistant cable is tested to withstand at least 10,000 cycles of 90-degree bends.




Perfectly Suited for Kensington Charge & Sync Cabinets

A 90-degree USB-A end allows the door of Charge & Sync cabinets enough clearance to close completely.



Compact Length

12.9" (327mm) cable helps reduce cable clutter and resists tangles.



Copper Wire

Delivers a quality connection.



Lightning or USB-C Connectors

To suit your needs.

Charge & Sync Cables

Charge & Sync Lightning Cable (5-pack) Part Number: K67864WWA | UPC Code: 0 85896 67864 9

Hardware

Cable Jacket Type	TPE-Thermoplastic Elastomer
Cable Shield Type	Aluminum Foil with Braid
Connector Plating	Nickel plated
Fire Rating	VW-1
Number of Conductors	4

Connector(s)

Connector A	USB-A Male 2.0 (4 PIN) Nickel plated, 90° bend
Connector B	Lightning Male (4 PIN) Nickel plated

Physical Characteristics

Cable Length	12.9in (327mm)
Cable Outside Diameter	0.12in (3.0mm)
Color	Black
Connector A Style	Right Angled
Connector B Style	Straight
Weight Of Product	0.42 oz (12g)
Wire Gauge	22+29AWG
Data Transfer Speed	Up to 480 Mbps
Max Charging Current	Charge fast (up to 2.1A)



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k21-20108p

Kensington

The Professionals' Choice™

Charge & Sync Cables

Charge & Sync USB-C Cable (5-pack)

Part Number: K65610WW | UPC Code: 0 85896 65610 4

Hardware

Cable Jacket Type	TPE-Thermoplastic Elastomer
Cable Shield Type	Aluminum Foil with Braid
Connector Plating	Nickel plated
Fire Rating	VW-1
Number of Conductors	4

Connector(s)

Connector A	USB-A Male 2.0 (4 PIN) Nickel plated, 90° bend
Connector B	USB-C Male 2.0 (24 PIN) Nickel plated

Physical Characteristics

Cable Length	12.9in (327mm)
Cable Outside Diameter	0.12in (3.0mm)
Color	Black
Connector A Style	Right Angled
Connector B Style	Straight
Weight Of Product	0.35 oz (10g)
Wire Gauge	24+32AWG
Data Transfer Speed	Up to 480 Mbps
Max Charging Current	Fast charge [up to 60W (20V/3A)]*
Note	Up to 2.1A when used with Charge & Sync Cabinet (K67862AM)



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k21-20108p

Kensington

The Professionals' Choice™