

SD2000P USB-C Single 4K Nano Dock

Part Number: K38260NA

UPC Code: 8589638260



Ideal for hot-desking, hoteling, home office and educational environments requiring a single monitor solution, Kensington's SD2000P USB-C Single 4K Nano Dock with 60W Power Delivery is Thunderbolt 3 compatible and provides users with a simple connection to a desktop setup. The SD2000P allows users to choose between HDMI or DP++ video ports to accommodate different monitor setups, connect to their favorite USB accessories using two USB 3.1 Gen1 ports, and use the USB-C connection to transfer up to 5Gbps of data while powering their device. Built on USB-C technology and Power Delivery 3.0, users can connect with confidence to PC, MacBook or Chromebook knowing the SD2000P will let them expand their workspace, use their favorite accessories, and power their device at the same time.

FEATURES & BENEFITS

- **Cross-Platform Compatibility** – works with any laptop equipped with USB-C or Thunderbolt 3 and supports Windows, Mac and Chrome operating systems
- **USB-C Connectivity** allows users to transfer data, video, and audio while providing up to 60W of power delivery¹ to USB-C enabled laptops using the included 1M USB-C cable for a simple plug and play experience
- **Versatile 4K Video** Connections offer output options for HDMI (4K@30Hz) or DP++ (4K@30Hz) to a single external monitor, TV or projector for spectacular true-to-life images²

¹Supported USB-C devices with PD function only

²Host device must support Alt mode over USB-C

- **3 USB Ports** –extend productivity capabilities via two USB 3.1 Gen1 ports (up to 5Gbps) with charging up to 5V/1.5A per port³, and one USB-C 3.1 Gen1 port (up to 5Gbps) with power delivery for an external device (5V/3A).
- **Gigabit Ethernet Port** provides a reliable 1Gbps wired networking connection
- **Kensington Security Slot** protects your technology investment via easy implementation of a cable lock
- **Zero Footprint Mounting** provides the option to attach the dock to the back of any 75mm or 100mm VESA compatible external display (mounting plate sold separately – K33959WW)
- **3 Year Limited Warranty**

³USB charging is supported at 5V/1.5A per port when the laptop is connected, and at 5V/2.4A per port when the laptop is not connected



SD2000P USB-C Single 4K Nano Dock

SYSTEM REQUIREMENT

- **Operating Systems Supported:**
Windows 7 or later; macOS 10.13 or later; Chrome OS 44 or above
- **System Resource Requirement:**
Host device must support DisplayPort™ Alt mode over USB-C™
- **USB-C Power Delivery:**
 - Supports USB-C PD 3.0
 - 5V/9V/12V/15V/20V up to 3A
 - 60W Maximum

VIDEO CONNECTIONS

- **Video Connectors and Max Resolutions**
 - DP1.2++ (4K@30Hz)
 - HDMI 1.4 (4K@30Hz)

HOST CONNECTIVITY

- **Host Docking Connector:** USB-C™

USB CONNECTIONS

- **Front:**
 - USB-C 3.1 Gen 1, charging up to 5V/3A: One
 - USB-A 3.1 Gen 1, charging up to 5V/1.5A with laptop connected and 5V/2.4A without laptop: Two
- **Right Side:**
 - USB-C Upstream Port: One

NETWORK CONNECTIONS

- **Ethernet Port:** RJ45
- **Compatible Ethernet Speeds:** 10/100/1000 Mbps

PRODUCT DIMENSIONS

- **Unit Dimensions:**
 - Width: 98mm (3.86in)
 - Length: 98mm (3.86in)
 - Height: 28mm (1.10in)
- **Unit Weight:** 160g (0.35lbs)
- **Enclosure Color and Material:** Black PC+ABS
- **Cable length:** 1M

PACKAGING DIMENSIONS

- **Packaging Style:** Retail Box, Brown Box
- **Packaging Dimensions:**
 - Width: 115mm (4.53in)
 - Length: 220mm (8.67in)
 - Height: 102mm (4.02in)
- **Packaging Weight:** 240g
- **Master Carton:** 4 pcs
- **Package Content:**
 - One SD2000P Dock
 - One USB-C to USB-C Cable, 1M (3ft)
 - One AC Power Adapter with US power cable included (K38260NA); One AC Power Adapter with EU and UK power cables included (K38260EU); One AC Power Adapter with AU/CN power cable included (K38260AU)
 - Quick Start Guide
 - Warranty information
 - Compliance sheet

POWER & ENVIRONMENTAL

- **Power Adapter Rating:**
 - **Input:** 100-240V; 1.5A Max
 - **Output:** 20V DC; 5.5A
 - **AC:** 50/60Hz; 1.5A
- **Operating Temperature:** -10 to 45° C (14 to 113° F)
- **Storage Temperature:** -10 to 55° C (14 to 131° F)
- **Relative Humidity:** 5% to 95% non-condensing

COUNTRY OF ORIGIN, REGULATORY, AND WARRANTY

- **Country of Origin:** China
- **Certifications and Compliance:** FCC, IC, CE, RCM, REACH, WEEE, RoHS,
- **Warranty:** 3-Years limited warranty

OTHER FEATURES

- **Kensington Security Slot**
- **VESA Mount Compatible:** Mounting plate sold separately (K33959WW)

FRONT



Power LED

USB-C Port
(USB3.1 Gen1, charging up to 5V/3A)

USB-A Port
(USB3.1 Gen1, charging up to 5V/1.5A with laptop connected and 5V/2.4A without laptop connected)

BACK



DisplayPort v1.2++

HDMI 1.4

RJ45 Ethernet Port

LEFT SIDE



Kensington Lock Slot

RIGHT SIDE



DC
20V

USB-C Port
(Up to 60W of power at 5Gbps)