

VeriMark™ Guard USB-C Fingerprint Key FIDO2, WebAuthn/CTAP2, & FIDO U2F - Cross Platform

Part Number: K64709WW | UPC Code: 0 85896 64709 6

The latest in biometric authentication technology, at your fingertips.

The VeriMark™ Guard USB-C Fingerprint Key - FIDO2, WebAuthn/CTAP2, & FIDO U2F - Cross Platform offers the latest in biometric authentication. FIDO2 and FIDO U2F certified with expanded authentication options, including strong single-factor (passwordless), dual, multi-factor, and Tap-and-Go* for FIDO U2F services. Maximum compatibility with web services including Google, Facebook, and Microsoft (for Windows Hello, refer to VeriMark or VeriMark IT), with support for Chrome, Edge, Firefox, and Safari. Exceeds industry standards for false acceptance rate (FAR) and false rejection rate (FRR). Supports GDPR compliance and is TAA-compliant.

Features include:

- Cross-platform compatibility
- One solution for singlefactor- (passwordless), dual-, multi-factor-, and Tap-and-Go authentication¹
- FIDO2 and FIDO U2F certified²
- Web-based support across major browsers³
- Encrypted end-to-end security with Match-in-Sensor™ Fingerprint Technology
- Exceeds industry standards for false acceptance rate (FAR) and false rejection rate (FRR)
- Compact design
- Convenient tether makes carrying easy and helps prevent loss when not in use
- Two-year warranty
- Supports GDPR compliance
- TAA-compliant



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2020 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k20-8130p



The Professionals' Choice™

Kensington

VeriMark™ Guard USB-C Fingerprint Key FIDO2, WebAuthn/CTAP2, & FIDO U2F - Cross Platform

Part Number: K64709WW | UPC Code: 0 85896 64709 6





iOS

Cross-Platform Compatibility

Designed for Windows 10 and above, this biometric authentication solution with security key functionality supports the latest web browsers (Chrome, Edge, Firefox and Safari). Please note that some services may require Security Key sign in setup to be performed on a Windows-based computer, in order to allow biometric authentication; see our support page (kensington.com/software/verimark-setup) for a list of compatible services.





FIDO2 and FIDO U2F Certified

VeriMark™ Guard offers expanded authentication options for FIDO2 biometric authentication services as well as FIDO U2F services requiring security key functionality. Provides strong single-factor (passwordless), dual, multi-factor, and Tap-and-Go support, making it the best biometric authentication key on the market. Supports up to 10 fingerprints. Verimark Guard (K64708WW and K64709WW) Biometric security keys are only certified with FIDO2 version 2.0.



Allows Biometric and Security Key Authentication

While FIDO2 is the latest in comprehensive online security, with new services being added all the time, not all services support this standard yet. VeriMark™ Guard was developed to grow with you and your authentication needs. We encourage you to view our listing of services under the support section (kensington.com/software/verimark-setup) of our site, to ensure you receive the best possible experience.



Encrypted End-to-End Security with Match-in-Sensor™ Fingerprint Technology

Combines superior biometric performance and 360° readability with anti-spoofing technology, while exceeding industry standards for false rejection rate (FRR 2%) and false acceptance rate (FAR 0.001%).



Compact Design with Convenient Tether

Features protective cover and tether for easy transport and to help prevent loss when not in use.





Supports GDPR Compliance and is TAA-Compliant

Can be used to support cybersecurity measures consistent with (but not limited to) such privacy laws and regulations as GDPR, BIPA, and CCPA. Ready for use in U.S. Federal Government institutions and organizations.



Two-Year Warranty

Rest assured knowing you're covered by Kensington.

- 1. Tap-and-Go combines a username and password with second-factor security key authentication, to enable extra security on non-FIDO2 services.
- $2. \ Verimark\ Guard\ (K64708WW\ and\ K64709WW)\ Biometric\ security\ keys\ are\ only\ certified\ with\ FIDO2\ version\ 2.0.$
- 3. For services leveraging the older FIDO U2F standard, instead of using biometric authentication, the user can simply place their finger on the VeriMark Guard Fingerprint Key to enable a security token experience. See complete list on the VeriMark ** support page (kensington.com/software/verimark-setup). Tap-and-Go combines a username and password with second-factor security key authentication, to enable extra security on non-FIDO2 services.

Kensington

VeriMark™ Guard USB-C Fingerprint Key FIDO2, WebAuthn/CTAP2, & FIDO U2F - Cross Platform

Part Number: K64709WW | UPC Code: 0 85896 64709 6

	Operating Systems Supported Plug & Play Fingerprint Registration FIDO2 Web Authentication Browser Compatibility Eerface	Windows 7, 8.1, 10, 11, macOS, Chrome OS, and iOS 13.5.1 or above No driver needed Register Fingerprint in Win10 RS 1903 or later Windows 10, Windows 11, Mac and Chrome OS Edge, Chrome, Firefox, Safari (some of the browsers provide limited support on FIDO2)
USB Interface		
	Connector	USB 2.0
	Host Connector	Support USB 2.0/3.0 Type C
Security		
	Secure Fingerprint Match-in-sensor	Synaptics FS7600
	USB Data Encryption	AES-256/SHA-256
	Secure Session Establishment	SSLv3
	Secure Communication	TLS 1.2
	Key Exchange, Authentication,	DCA 2040 Public Key County and the
	and Data Validation	RSA-2048 Public Key Cryptography
	False Rejection Rate (FRR)	2%
D 1 1 D: .	False Acceptance Rate (FAR)	0.001%
Product Dimensions		
	Unit Dimensions	Width: 0.7in (17.82mm) Length: 0.82in (20.8mm) Height: 0.29in (7.31mm)
	Unit Weight	0.18 oz (5g)
	Unit Dimensions (Main Body)	Width: 0.7in (17.82mm) Length: 0.64in (16.25mm) Height: 0.29in (7.31mm)
	Unit Weight (Main Body)	0.12 oz (3.5g)
	Unit Dimensions (Cap)	Width: 0.7in (17.82mm) Length: 0.44in (11.15mm) Height: 0.29in (7.31mm)
	Unit Weight (Cap)	0.04oz (1g)
	Key Chain Weight	0.02oz (0.5g)
	Key Chain Length	1.77in (45mm)
	Enclosure Color and Material	Zinc Alloy
	USB Cap	Black PC/ABS

Kensington

VeriMark™ Guard USB-C Fingerprint Key FIDO2, WebAuthn/CTAP2, & FIDO U2F - Cross Platform

Part Number: K64709WW | UPC Code: 0 85896 64709 6

Width: 3.15in (80mm) Depth: 0.79in (20mm) Height: 5.28in (134mm) 0.08lbs (36g) 5-in-1
5-in-1
VeriMark Guard Fingerprint Key VeriMark Guard USB-C Protection Cap with Tether Welcome Insert Warranty Information
100mA @ 5V
330uA @ 5V
5% to 95% Non-condensing
0 to 45° C (32 to 113° F)
-40 to 85° C (-40 to 185° F)
Taiwan, TAA Compliant
2-Year Limited – worldwide
FCC, CE, RCM, REACH, WEEE, RoHS, VCCI
Light on: Request fingerprint for login Light blinking (1 time): Recognize the correct fingerprin Light off: Stand-by mode
Light blinking (3 times): Error/ Incorrect fingerprint scanned



