Kensington®

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Switch between three devices with one headset.

Professionals working in the office, at home or on the move frequently need to switch between audio on their laptop, phone or other devices. Whether it is taking a video call, making a phone call or listening to music, switching between different devices can be complex and time consuming.

Kensington's Universal 3-in-1 Pro Audio Headset Switch enables professionals to use a single wired or wireless headset across three different audio sources. Users can switch seamlessly between their laptop, phone or tablet, enhancing their productivity.

Compatible with platforms including Microsoft Teams, Google Meet, Zoom and WebEx, the Universal 3-in-1 Pro Audio Headset Switch features convenient push-button controls for device switching, volume control and muting to deliver a professional audio experience.

Features include:

• Universal Device Compatibility (Windows/macOS)

• Supports a Pro Desktop Setup

• Smart Technology

• Simple & Precise Audio Switching

• Mute and Volume Controls

• USB-Powered

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Universal Device Compatibility

Use your favourite headset (wired or wireless) across different devices and operating systems (Windows/macOS).

Supports a Pro Desktop Setup

Join meetings and transition to music without changing your headset - increasing your productivity and decluttering your desktop.

Smart Technology

Easily transitions between audio sources and automatically connects to one wired and two paired devices.

Simple & Precise Audio Switching

Dedicated channel buttons and LED lights provide visual confirmation of active connections.

Mute and Volume Controls

Easy to reach and see buttons.

USB-Powered

No power outlet required and includes connection cable.

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Support Page
QR Code

Channel 1: USB-C input &
USB-C power (5V/0.9A)

Channel 1: Wired Device
(USB-A or USB-C)
*USB Power Source

Channel 2 and 3: Bluetooth Devices
*Pairing Button for Bluetooth Devices

Headset Button
Wired (Green)
Bluetooth (Blue)
*Pairing Button for
Bluetooth Headset

Volume
Controls

Kensington

Wired Headset Ports
3.5mm Jack | USB-C Port

Mute Button
Red = Muted
No LED = Unmuted

Kensington®

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

System Requirement

	Operating Systems Supported	Windows 10 or above, macOS 11 or above
	Plug & Play	No software installation required

Audio Source

	Channel 1	1 x USB-C (Notebook, PC, MacBook, etc.) also provides power to Audio Switch
	Channel 2 & 3	2 x Bluetooth (PC, phones, tablets etc.)
	* Remembers previously paired devices. However, each channel can only be connected to one Bluetooth device at a time.	

Audio Connections

	Audio Connections	3.5mm, USB-C, USB-A, or Bluetooth
	Audio Channels Supported	Stereo LR

Material Specifications

	Enclosure	PC+ABS with texture
	Product Colour	Pantone Black C

Product Dimensions

	Unit Dimensions	83 x 53 x 27mm (3.26 x 2.1 x 1.1")
	Unit Weight	85g (0.19lbs)

Packaging Dimensions

	Packaging Style	Retail Box
	Packaging Dimensions(Unit)	130 x 42 x 113mm (5.1 x 0.9 x 4.4")
	Packaging Weight(Unit)	225g (0.50lbs)
	Packaging Content	3-in-1 Pro Audio Headset Switch, USB-C (Male) to USB-A (Male) Cable (2m, 6.5'), USB-C (Male) to USB-A (Female) Adapter, Welcome Insert, Quick Installation Guide, Warranty Card, Compliance Sheet
	Master Carton	5pcs
	Packaging Dimensions(Master)	220 x 132 x 135mm (8.7 x 5.2 x 5.1")

Kensington
The Professionals' Choice™

FOR MORE INFORMATION CONTACT: contact@kensington.com

Kensington®

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Power & Environmental

Power Adapter Rating	5V/900mA
* USB-C to USB-A cable connects to the rear USB-C port, providing both audio and power to the Audio Switch.	
Operating Temperature	0 to 50°C (32 to 122°F)
Storage Temperature	-18 to 60°C (-0.4 to 140°F)
Relative Humidity	20% to 80% non-condensing

Country of Origin, Regulatory, and Warranty

Country of Origin	China
Certifications & Compliance	FCC, IC, CE, UKCA, RCM, MIC, VCCI, BQB, RoHS, REACH, ACCO RSL
Warranty	2-Year Limited - worldwide

Kensington
The Professionals' Choice™

FOR MORE INFORMATION CONTACT: contact@kensington.com