

Kensington®

Product
Sheet



USB 3.0 Power Splitter for SD4700P, SD4750P, SD4780P, and SD4900P

Part Number: K38310NA | UPC Code: 8588938310

Finally, a USB Power Delivery Option for USB 3.0 Laptops

The Kensington USB 3.0 Power Splitter for SD4700P, SD4750P, SD4780P, SD4900P provides a power delivery option for USB 3.0 laptops. This is a productive and cost-effective solution for environments with mixed deployments or shared workspaces, including hot-desking and hoteling. While the SD4700P, SD4750P, SD4780P, and SD4900P provide Power Delivery (PD) for USB-C enabled devices supporting PD, the USB 3.0 Power Splitter allows for a truly universal solution that will power your USB 3.0 enabled laptops through the same docking station – providing your business with a scalable and standardized docking solution as you crossover from USB 3.0 to USB-C enabled mobile devices.

Features include:

- Laptop Charging
- 8 Power Tip Adapters with Retention Rings
- 2 Power Tip Adapters with Retention Rings (*SD4780P only*)
- 1m Laptop Cable
- 0.5m Power Plug Cable



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. ©2020 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. K18-3113

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com

Kensington

The Professionals' Choice™

USB 3.0 Power Splitter for SD4700P, SD4750P, SD4780P, and SD4900P

Part Number: K38310NA | UPC Code: 8588938310



Laptop Charging uses the power supply from SD4700P, SD4750P, SD4780P, or SD4900P to provide power to USB 3.0 enabled laptops that support 20V/85W. *The power splitter is optimized to provide rapid charging at 60W and is not intended for use with laptops under 20V/60W.*



1M Laptop Cable provides ideal length for various connection needs and accommodates multiple power tips to be tethered to the cable at one time via four power adapter retention rings –providing a convenient solution for mixed deployments or shared workspaces.



| No. | Targus | Kensington | Brand |
|-----|--------|------------|---------|
| 1 | 3P | A | Most NB |
| 2 | 3W | C | Dell |
| 3 | 3X9 | D1 | Lenovo |
| 4 | 3H2 | H | HP |
| 5 | 3I2 | I | HP |
| 6 | 3A | G | Acer |
| 7 | 3H | M | Dell |
| 8 | 3Z | O | ASUS |

8 Power Tip Adapters can be dongle-connected for quick access and provide ample connection opportunities for Dell, HP, Lenovo and other leading manufacturers (retention rings included). Also includes 2 power tip adapters and retention rings for use with the SD4780P docking stations only.



0.5M Power Plug Cable connects to the dock and supports a tidy and tangle-free connection.

USB 3.0 Power Splitter for SD4700P, SD4750P , SD4780P, and SD4900P

Part Number: K38310NA | UPC Code: 8588938310

System Requirement

| | |
|-----------------------------|--|
| System Resource Requirement | Host device must be using the SD4700P, SD4750P, SD4780P, or SD4900P. Includes multi barrel connectors for different laptops. |
|-----------------------------|--|

Host Connectivity (Power)

| | |
|------------------------|--|
| Host Docking Connector | Two 20V power input; 1 x 75W to power dock; 1 x 60W to power laptops |
|------------------------|--|

Product Dimensions

| | |
|------------------------------|--|
| Unit Dimensions | Width: 1.4in (35mm) Length: 42.2in (1070.5mm) Height: 0.7in (18mm) |
| Unit Weight | 0.22lbs (0.1kg) |
| Enclosure Color and Material | Black PC |
| Cable Length | TPE Tethered Cable 1m and 0.5m |

Packaging Dimensions

| | |
|-----------------------|---|
| Packaging Style | Retail Box, Brown Box |
| Retail Box | Width: 3.82in (97mm), Depth: 4.92in (125mm) Height: 1.73in (44mm), Weight: 0.31lbs (0.14kg) |
| Master Carton (4 pcs) | Width: 5.24in (133mm), Depth: 7.48in (190mm) Height: 4.41in (112mm), Weight: 1.5lbs (0.66kg) |
| Package Contents | One 60W Power Splitter, One 1M Laptop Cable, One 0.5M Power Plug Cable, Eight Power Tips with holder, Four Power Adapter Retention Rings in polybag, Two Power Tips and Two Power Adapter Retention Rings for use with SD4780P docking stations only, Quick Start Guide, Warranty Information |

Power & Environmental

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0 to 40° C (32 to 140° F) |
| Storage Temperature | -40 to 70° C (-40 to 158° F) |
| Relative Humidity | 5% to 95% non-condensing |

Country of Origin, Regulatory, & Warranty

| | |
|----------------------------|---|
| Country of Origin | China |
| Warranty | 3-Years Limited - Worldwide |
| Certification & Compliance | FCC, CE, RCM, VCCI, REACH, WEEE, RoHS certified |



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. ©2020 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. K18-3113

Kensington

The Professionals' Choice™