

## VeriMark<sup>™</sup> Desktop Fingerprint Key

Part Number: K62330WW/JP | UPC Code: 0 85896 62330 4

Business-class desktop security. At your fingertips. With support for the latest in biometric technology, the VeriMark™ Desktop Fingerprint Key puts business-class desktop security at your fingertips. Ideal for enterprise PC deployment, the VeriMark™ Desktop Fingerprint Key is FIDO U2F Certified, and FIDO2 WebAuthn compatible. Windows Hello certified (includes Windows Hello for Business) for seamless integration. Also compatible with additional Microsoft services including Office365, Microsoft Entra ID, Outlook, and many more.

#### Features include:

- One solution for singlefactor- (passwordless), dual-, multi-factor-, or Tap-and-Go authentication\*
- FIDO U2F certified
- FIDO2 WebAuthn compatible
- Web-based (WebAuthn) support across major browsers
- Windows Hello certified (includes Windows Hello for Business)

- Encrypted end-to-end security with Match-in-Sensor™ Fingerprint Technology
- Exceeds industry standards for false acceptance rate (FAR) and false rejection rate (FRR)
- Long USB cable (3.9 ft./1.2m)
- Two-year warranty
- Supports GDPR compliance
- TAA-compliant

\* Tap-and-Go combines a username and password with second-factor security key authentication, to enable extra security on non-FIDO2 services.



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2020 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k20-8148p



# Kensington

### VeriMark<sup>™</sup> Desktop Fingerprint Key

Part Number: K62330WW/JP | UPC Code: 0 85896 62330 4



#### FIDO U2F Certified, FIDO2 WebAuthn Compatible

Offers expanded authentication options, including strong single-factor (passwordless), dual, multi-factor, and Tap-and-Go support across major browsers (for services leveraging the older FIDO U2F standard, instead of using biometric authentication, Tap-and-Go allows the user to simply place their finger on the VeriMark Desktop Fingerprint Key to enable a security token experience). Supports up to 10 fingerprints. We encourage you to view our listing of services under the support section (kensington.com/software/verimark-setup) of our site, to ensure you receive the best possible experience.



#### Encrypted End-to-End Security with Match-in-Sensor™ Fingerprint Technology

Combines superior biometric performance and 360° readability with anti-spoofing technology, while exceeding industry standards for false rejection rate (FRR 2%) and false acceptance rate (FAR 0.001%).



#### Windows Hello Certified

Provides seamless integration with Windows Hello and Windows Hello for Business. Also compatible with additional Microsoft services including Office365, Microsoft Entra ID, Outlook, and many more.



Long USB Cable (3.9 ft./1.2m)

Provides the flexibility to be placed virtually anywhere on or near the desktop.



## Supports GDPR Compliance and is TAA-Compliant

Can be used to support cybersecurity measures consistent with (but not limited to) such privacy laws and regulations as GDPR, BIPA, and CCPA. Ready for use in U.S. Federal Government institutions and organizations.



## VeriMark<sup>™</sup> Desktop Fingerprint Key

Part Number: K62330WW/JP | UPC Code: 0 85896 62330 4

	Operating Systems Supported	Windows 7, 10, 11
	Plug & Play	Software installation required for Win 7 (Driver will automatically be downloaded via Windows update)
	FIDO2 Web Authentication	Windows 10 and Windows 11
USB Interface		
	Connector	USB 2.0
	Cable Length	3.9ft (1.2m)
	Host Connector	Supports USB 2.0/3.0 Type A
Security		
	Secure Fingerprint Match-in-sensor	Synaptics FS7600
	USB Data Encryption	AES-256/SHA-256
	Secure Session Establishment	SSLv3
	Secure Communication	TLS 1.2
	Public Key Cryptography	RSA-2048 (for key exchange, authentication and data validation
	False Rejection Rate (FRR)	2%
	False Acceptance Rate (FAR)	0.001%
Product Dimensions		
	Unit Dimensions (Main Body)	Width: 1.14in (29mm) Length: 1.14in (29mm) Height: 0.59in (15mm)
	Unit Weight	2.01oz (57g)
	Enclosure Color and Material	Zinc Alloy
Power & Environmental		
	Power Imaging	100mA @ 5V
	Power Standby	330uA @5V
	Relative Humidity	5% to 95% non-condensing
	Operating Temperature	0 to 60° C (32 to 113° F)
	Storage Temperature	-40 to 85° C (-40 to 185° F)



## VeriMark<sup>™</sup> Desktop Fingerprint Key

Part Number: K62330WW/JP | UPC Code: 0 85896 62330 4

Country	of Origin.	Regulatory.	& Warranty
COGITICI	, 0, 0, 5, ,	regarder,	C v v ci i i ci i c y

	Country of Origin	Taiwan, TAA Compliant	
	Warranty	2-Year Limited – worldwide	
	Certifications & Compliance	FCC, CE, RCM, REACH, WEEE, RoHS, WHQL Windows Hello, FIDO U2F	
LED Indicator			
	White LED Light on	Request fingerprint for login	
	White LED Light blinking (1 time)	Recognize the correct fingerprint	
	White LED Light off	Stand-by mode	
	RED LED Light blinking (3 times)	Error/Incorrect fingerprint scanned	
Packaging			
	Packaging Style	Retail Box	
	Packaging Dimensions (Unit)	Width: 4.7in (120 mm) Depth: 5.1in (130mm) Height: 1.57in (40mm)	
	Packaging Weight (Unit)	0.3lbs (136g)	
	Master Carton	5-in-1	
	Package Contents	VeriMark Guard Desktop Fingerprint Key, User Guide, Warranty Information	



