Product Sheet

SD2500T Thunderbolt[™] 3 and USB-C Dual 4K Hybrid Nano Dock with 60W PD - Win/Mac

Part Number: K36400NA | UPC Code: 0 85896 36400 9

Compact on size. Full on features.

The SD2500T Thunderbolt[™] 3 and USB-C Dual 4K Hybrid Nano Dock with 60W PD - Win/Mac is the perfect, ultra-compact, full-featured Thunderbolt 3 laptop docking station. Features include universal compatibility, Single 8K or Dual 4K video output, 60W power delivery, UHS II SD 4.0 card readers, free Kensington DockWorks[™] software, and a three-year warranty. It's the ideal laptop docking station for a productive workplace.

Features include:

- True universal compatibility
- Thunderbolt 3 technology
- Single 8K or Dual 4K video output for Thunderbolt 3-enabled devices
- 60W power delivery
- Ultra compact

- Productive desktop setup
- UHS II SD 4.0 card readers
- Free Kensington DockWorks[™] software
- Three-year warranty

All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2020 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k20-20198p

Kensington The Professionals' Choice"



SD2500T Thunderbolt[™] 3 and USB-C Dual 4K Hybrid Nano Dock with 60W PD - Win/Mac

Part Number: K36400NA | UPC Code: 0 85896 36400 9



Universal Compatibility

With our smallest form factor yet, this Thunderboltcertified nano hybrid laptop docking station is the ultimate plug-and-play solution for Thunderbolt 3 and USB-C laptops running macOS 11 (Big Sur) or above and Windows 10 or above.



Thunderbolt™ 3 Technology

Allows users to transfer up to 40Gbps of data, video, and audio (10Gbps for USBC Gen2 laptops and 5Gbps for USB-C Gen1 laptops) using the included 0.8m (2.6 ft.) Thunderbolt 3 cable, for a quick and powerful plug-and-play experience.



Single 8K or Dual 4K Video Output for Thunderbolt 3-Enabled Devices*

Extend visual productivity with the crisp resolution, contrast, and color depth of Ultra HD (Single 8K 30Hz or Dual 4K 60Hz) via two DisplayPort v1.4 ports. USB-C laptops must support DisplayPort Alt Mode. *For USB-C DisplayPort Alt Mode devices, a maximum resolution of Single 4K @ 60Hz or Dual 4K @ 30Hz is supported for HBR3 laptops or Single 4K 30Hz or Dual 1080p @ 60Hz is supported for HBR2 laptops (Dual monitors are for devices that support MST).

Micro SD



60W Power Delivery

Quickly and simply charge any Thunderbolt 3 or USB-C*-enabled laptop and USB accessories using the Thunderbolt 3 connection. *USB-C laptops must support Power Delivery.



One USB-C 3.2 Gen2 port (up to 10Gbps with 5V/1.5A charging), three USB-A ports [2 Gen2@10Gbps on the front (one with 5V/1.5A charging) and one Gen1@5Gbps port on the rear of the dock supporting 5V/0.9A], one Gigabit Ethernet port, and one audio combo jack.

UHS II SD 4.0 Card Readers

Transfer files at ultra-fast speeds using the built-in SD and Micro SD card readers.



Free Kensington DockWorks™ Software and Three-Year Warranty

DockWorks[™] WiFi Auto-Switch guarantees the fastest, most reliable internet connection; while MAC Address ID Pass-Through and Reset, and Device Connection Monitoring give IT managers maximum network monitoring and visibility. A three-year warranty lets you rest assured knowing you're covered by Kensington.

SD2500T Thunderbolt[™] 3 and USB-C Dual 4K Hybrid Nano Dock with 60W PD - Win/Mac

Part Number: K36400NA | UPC Code: 0 85896 36400 9

System Requirement

| | Systems Supported | All Laptops with Thunderbolt™ 3 or USB-C Alt-mode ports |
|---------------------|---------------------------------|---|
| | Operating Systems Supported | Windows 10 or above and macOS 11 (Big Sur) or above |
| | Plug & Play | Yes |
| | Software | For Windows, need to enable Intel Thunderbolt™ 3 software |
| | System Resource Requirement | CPU: Intel® Core™ i5 6th generation or above Memory: 8GB or above GPU: Intel® HD Graphics 620 or above |
| | Additional Software Information | Kensington DockWorks compatible |
| | USB-C Power Delivery | 5V/9V/15V/20V@3A |
| USB Interface | | |
| | Type of USB Connector | USB-C Connector |
| | Host Connector | Support USB-C 3.2 Gen1/Gen2/Thunderbolt™ 3 |
| USB Connections | | |
| | Ports | Front: 2 x USB-A 3.2 Gen2, 10Gbps - 5V/0.9A, (the one near USB-C port) - 5V/1.5A, support BC 1.2 (the one on the side) 1 x USB-C 3.2 Gen2, 10Gbps, 5V/1.5A 1 x SD 4.0 card reader (UHS-II) 1 x Micro SD 4.0 card reader (UHS-II) Back: 1 x USB-A 3.2 Gen1, 5Gbps, 5V/0.9A |
| Network Connections | | |
| | Ethernet Port | RJ45 |
| | Campatible Ethernet Speeds | 10/100/1000 Mbps |
| Host Connectivity | | |
| | Host Docking Connector | 1 x Thunderbolt™ 3 upstream port (PD 60W, 5V/9V/15V/20V @ 3A) |
| Audio Connections | | |
| | Audio Connectors | 1 x 3.5mm Audio Combo Jack |
| | Audio Channels Supported | Stereo LR |
| | | |

SD2500T Thunderbolt[™] 3 and USB-C Dual 4K Hybrid Nano Dock with 60W PD - Win/Mac

Part Number: K36400NA | UPC Code: 0 85896 36400 9

Video Connections

| | Video Connectors | 2 x DisplayPort 1.4 |
|-------------------------|------------------------------|--|
| | Maximum Resolution Supported | TBT mode: - Single 8K@30Hz - Dual 4K@60Hz |
| | | MFDP mode: HBR3 Host - Single 4K@60Hz - Dual 4K@30Hz HBR2 Host - Single 4K@30Hz - Dual 1080p@60Hz |
| Material Specifications | | |
| | Exterior | Aluminum Anodizing Fine Brushed Finish/ PC+ABS |
| | Bottom | Metal Base Plate: Sheetmetal |
| | Product Color | PMS Cool Gray 8c |
| Product Dimensions | | |
| | Unit Weight | 0.71lbs (0.325kg) |
| | Unit Dimensions | Width: 5.8in (148mm) Depth: 3.14in (80mm) Height: 0.68in (17.5mm) |
| | Desktop Footprint | 18.35in² (118.4cm²) |
| | Enclosure Color & Material | PMS Cool Gray 8c, Aluminum Anodizing Fine Brushed Finish / PC+ABS |
| Packaging Dimensions | | |
| | Packaging Style | Retail Package |
| | Packaging Dimensions (Unit) | Width: 7.79in (198mm) Depth: 4.72in (120mm) Height: 2.87in (73mm) |
| | Packaging Weight (Unit) | 2.27lbs (1.03kg) |
| | Packaging Dimensions (Case) | Width: 11.61in (295mm) Depth: 7.99in (203mm) Height: 4.92in (125mm) |
| | Packaging Weight (Case) | 9.52lbs (4.32kg) |
| | Packaging Content | SD2500T Dock, Thunderbolt™ 3 passive cable (0.8m), Power Supply Unit (120W), Instruction Guide, Warranty Card, Compliance Sheet, Welcome card insert |
| | Master Carton | 4 Units |

SD2500T Thunderbolt[™] 3 and USB-C Dual 4K Hybrid Nano Dock with 60W PD - Win/Mac

Part Number: K36400NA | UPC Code: 0 85896 36400 9

Power and Environmental

| Warranty | 3-Year Limited - Worldwide |
|-----------------------------|---|
| Certifications & Compliance | FCC, IC, CB, RoHS, ACCO RSL |
| Country of Origin | Vietnam |
| egulatory, and Warranty | |
| Storage Temperature | 0°C to +70°C |
| Operating Temperature | 0°C to +45°C |
| Relative Humidity | 55% operating temperature @ 25°C |
| Power Adapter Rating | Input: 100-240V; 3A / Output: 20V DC 6A (120W) |
| | Relative Humidity Operating Temperature Storage Temperature egulatory, and Warranty Country of Origin Certifications & Compliance |



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2020 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k20-20198p

Kensington The Professionals' Choice