

SD4782P EQ USB-C® & USB-A Dual 4K Docking Station with 100W Power Delivery

Part Number: K33650NA | UPC Code: 0 85896 33650 1

Video, data, and power for USB-C® Alt Mode and USB-A* laptops.

Ideal for professionals seeking a docking solution that overcomes the complex compatibility challenges of mixed technology environments, the SD4782P EQ USB-C® & USB-A Dual 4K Docking Station with 100W Power Delivery supports Thunderbolt™ 4, USB4®, USB-C®, and legacy USB-A* laptops with video, data, and power.

Delivering a notable video experience with support for up to 2 external Ultra HD monitors (4K @ 60Hz), and the ability to select between HDMI® 2.0 and DP++ 1.2 connections (4 video ports for up to 2 external displays), the SD4782P EQ provides flexible display options and eliminates the need for cumbersome adapters.

Offering up to 10Gbps data transfer speeds via 6 USB ports and up to 100W Power Delivery to the laptop and dock for both USB-C® Alt Mode and legacy USB-A laptops, the SD4782P EQ tackles the productivity and power needs of most setups.

The SD4782P EQ USB-C® & USB-A Dual 4K Docking Station with 100W Power Delivery provides an impressive docking experience that easily meets the video, data, and power needs of today's workstations.

Features include:

- Supports USB-C® and legacy **USB-A*** laptops
- Windows, macOS and Chrome OS
- Dual 4K Video via HDMI[®] 2.0 and DP++ 1.2
- Up to 100W of power to laptop
- Up to 10Gbps data transfer speeds via 1 USB-C® port and 5 USB-A ports
- Secure screw lock connector for host cable
- · Zero-Footprint Mounting and Kensington Security Lock
- Free Kensington Dockworks™ software
- · 3-year limited warranty
- The plastic in this product contains up to 50% post-consumer recycled (PCR) content**.

^{*}USB-A devices will need an alternative source of power.

^{**}Excludes the cable, power supply, or power cord

SD4782P EQ USB-C® & USB-A Dual 4K Docking Station with 100W Power Delivery

Part Number: K33650NA | UPC Code: 0 85896 33650 1



Dual 4K Video via HDMI® 2.0 and DP++ 1.2

Extend visual productivity with the resolution, contrast, and color depth of Ultra HD on up to 2 external monitors. Four video ports allow you to select between HDMI® 2.0 and DP++ 1.2 without the need for cumbersome adapters. Also supports M1/M2/M3 MacBook with dual displays.



Universal Compatibility

Supports USB-C® and legacy USB-A laptops running Windows 7 or above, macOS 10.14 or above, Chrome OS 44 or above.



Up to 100W Power Delivery

Delivers power to laptop, docking station, and connected accessories. Supports up to 100W for USB-C® Alt Mode laptops.



Multiple Ports

Delivers speeds up to 10Gbps via 1 USB-C® port and 5 USB-A ports. Also includes two HDMI® 2.0 ports, two DP++ 1.2 ports, a Gigabit Ethernet port, and an audio combo jack.



Secure Screw Lock Connection

Host cable is equipped with secure screw lock connector for a consistent and reliable connection between the docking station and the laptop.



Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximize desktop space by mounting your docking station out of the way. Mounting bracket sold separately (K34050WW). Protect your investment with a Kensington cable lock (K65020WW or K65021WW), sold separately.



Sustainability Attributes

The plastic in this product contains up to 50% post-consumer recycled (PCR) content*. *Excludes the cable, power supply, or power cord



Three-Year Warranty

Rest assured knowing you're covered by Kensington.

SD4782P EQ USB-C® & USB-A Dual 4K Docking Station with 100W Power Delivery

Part Number: K33650NA | UPC Code: 0 85896 33650 1

C	+	D	:	
71	/stern	Ke0	uirem	enis

	Systems Supported	All laptops with DisplayLink software
	Operating Systems Supported	Windows® 7 or above macOS 10.14 or above Chrome OS 44 or above
	Plug & Play	No *All Chromebooks using ChromeOS build R51 or later will work with DisplayLink docks and adapters without additional driver installation *Windows 10 S products using DisplayLink technology will get their devidrivers either from OEM pre-installation or from Windows Update
	Software	Download from DisplayLink website https://www.displaylink.com/downloads
	System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
	Additional Software Information	DockWorks (Windows® 10 or above)
	USB-C Power Delivery	PD3.0: 5V, 9V, 15V, 20V/5A (up to 100W)
USB Interface		
	Type of USB Connector	USB-C Screw Lock Connector with USB-A adapter
	Host Connector	Support Thunderbolt™ 4 / Thunderbolt™ 3 / USB4 / USB-C® / USB-A
USB Connections		
	Ports (Front)	 1 x USB-A 3.2 Gen2 10Gbps (5V/1.5A, supports BC 1.2*) *USB Battery Charging 1.2-compliant devices (up to 5V/2.4A for Apple Devices) 1 x USB-C 3.2 Gen2 10Gbps (5V/3A, up to 9V/2A)
	Ports (Back)	4 x USB-A 3.2 Gen1 5Gbps (5V/0.9A)
Network Connections		·
	Ethernet Port	RJ45
	Compatible Ethernet Speeds	10/100/1000 Mbps
Host Connectivity		
	Host Docking Connector	Connecting with USB-C: Power Delivery up to 100W
Video Connections		
	Video Connectors	2 x DisplayPort ++ v1.2 2 x HDMI 2.0
	Maximum Resolution Supported	Single Monitor: 4096 x 2160 @ 60Hz Dual Monitors: 4096 x 2160 @ 60Hz

SD4782P EQ USB-C® & USB-A Dual 4K Docking Station with 100W Power Delivery

Part Number: K33650NA | UPC Code: 0 85896 33650 1

Audio	Connections

Audio Connections		
	Audio Connectors	1 x 3.5mm audio combo jack
	Audio Channels Supported	Stereo LR
LED Indicator		
	Blue LED	Power indicator
Material Specifications		
	Exterior	The plastic in this product contains up to 50% post consumer recycled (PCR) content*.
	Bottom	*Excludes the cable, power supply, or power cord Metal Base Plate: Sheetmetal
	Product Color	PMS Black
Other Features	Froduct Color	FINIS DIALK
Other Features		
	Kensington Security Slot	Kensington Security Slot Kensington Nano Security Slot
Product Dimensions		
	Unit Weight	0.97lbs (0.438kg)
	Unit Dimensions without Peripherals	8.26 x 3.54 x 1.23in (210 x 90 x 31.3mm)
	Desktop Footprint	29.29 in² (189 cm²)
Packaging Dimensions		
	Packaging Style	Bulk Package (K33650NA)
	Packaging Dimensions	9.25 x 5.86 x 3.58in (235 x 149 x 91mm)
	Packaging Weight	3.43lbs (1.56kg)
	Packaging Content	1 x SD4782P EQ USB-C & USB-A Dual 4K Docking Station 1 x USB-C 3.2 Gen2 Cable with USB-A Adapter and Screw Lock
		1 x 170W Power Supply Unit 1 x NA Power Cord 1 x Quick Installation Guide
		1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card
	Master Carton	6

SD4782P EQ USB-C[®] & USB-A Dual 4K Docking Station with 100W Power Delivery

Part Number: K33650NA | UPC Code: 0 85896 33650 1

_				
Power	and	⊢n\/ı	ronm	ental

	Power Adapter Rating	Input: 100-240V; 1.8A Output: 20V DC 8.5A (170W)
	Relative Humidity	55% operating temperature @ 77°F (25°C)
	Operating Temperature	32 to 104°F (0 to 40°C)
	Storage Temperature	-0.4 to 140°F (-18 to 60°C)
Country of Origin, Re	egulatory, and Warranty	
Country of Origin, Re	egulatory, and Warranty Country of Origin	Thailand
Country of Origin, Re		Thailand FCC, IC, CE, CB, ErP, RoHs, ACCO RSL, UKCA



