

## Pro Fit® Ergo Wired Mouse

Part number: K75403EU | EAN code: 5028252604475

Get comfortable with a mouse made to fit.

With its built-in wrist support and neutral grip, the ergonomist-approved Pro Fit® Ergo Wired Mouse positions your hand for improved comfort. Features include quiet clicking, plug & play USB connection, five buttons (including forward and back) that enhance navigation and productivity, together with four DPI settings.

- Ergonomist-approved design Positions your hand for improved comfort in the wrist and forearm and enhanced productivity.
- Built-in wrist support and neutral grip Supports, cushions and positions your wrist for comfort and neutral hand alignment.
- Quiet clicking Makes for smooth and non-disruptive operation and is ideal for low-noise office environments.
- Plug & Play USB connection Simple and reliable.
- Five buttons (including forward and back) Enhance navigation and productivity.
- Four DPI settings (1000/1600/2400/3200) Let you dial in the sensitivity and precision of your mouse cursor.





## Kensington

## Pro Fit® Ergo Wired Mouse

Part number: K75403EU | EAN code: 5028252604475





## Pro Fit® Ergo Wired Mouse

Part number: K75403EU | EAN code: 5028252604475

c .	
System	requirement
JyJLCIII	requirement

System requirement		
	Connection	1x type A USB port
	Operating systems supported	Windows/macOS/Chrome OS/Android
Connectivity		
<u> </u>	Connection technology	Plug & Play USB-A connector
	Cable length	1.8m/5.9ft
Product dimensions		
	Product unit dimensions	Width: 73mm/2.87in Length: 133mm/5.24in Height: 60mm/2.36in
	Mouse unit weight	94.2g/.20 pounds
	Mouse colour	Black
Packaging dimensions		
	Packaging style	Retail box
	Packaging dimensions	Width: 152mm/5.98in Length: 182mm/7.17in Height: 94mm/3.70in
	Packaging weight	0.2kg/unit, 1.44kg/MC
	Master carton	4pcs
	Package content	Mouse, instruction guide, warranty card, compliance documentation
Power and environmental		
	Operating temperature	0° to 45°C (32° to 113°F)
	Storage temperature	-15° to 60°C (5° to 140°F)
	Relative humidity	0% to 90% non-condensing
Country of origin, regulatory and warranty		
	Country of origin	China
	Certifications and compliance	FCC, CE, IC, RCM, MIC, BQB
	Warranty	3-year limited warranty



