

# Kensington®

## Docking Station Portfolio 2022



# USB-C® Docking Stations - Range at a Glance



**SD4839P USB-C TRIPLE VIDEO DRIVERLESS DOCK WITH 85W POWER DELIVERY**

**SD4849Pv USB-C TRIPLE VIDEO DRIVERLESS DOCK WITH 100W POWER DELIVERY**

Item Code	K33480EU/K33480UK	K37060EU/K37060UK
Connectivity	USB-C®	USB-C®
Power Delivery	85W	100W
Monitors and Resolution	1 x 4K @60Hz, 2 x 4K @60Hz or 3 x 1080p @60Hz	1 x 4K @60Hz, 2 x 4K @60Hz, 3 x 1080p @60Hz
Video Ports	2 x DP1.4+, 1 x HDMI 2.0	1 x DP1.4+, 2 x HDMI 2.0, 1 x VGA
Audio Ports	1 x Combo 3.5mm (in/out)	1 x Combo 3.5mm (in/out)
USB-A Ports	In front: 3 x USB-A 3.2 Gen2 (up to 5V/0.9A/10Gbps)	In front: 2 x USB-A 3.2 Gen2 (5V/0.9A/10Gbps), Rear: 2 x USB-A 2.0)
USB-C Ports	In front: 1 x USB-C® 3.2 Gen2 (up to 5V/1.5A/10Gbps) On the side: 1 x USB-C® Host Port (Up to 85W PD)	In front: 1 x USB-C® 3.2 Gen2 (5V/1.5A/10Gbps), Rear: 1 x USB-C® 3.2 Gen2 Host Port (Up to 100W PD)
Gigabit Ethernet	✓	✓
Memory Card Slot		1 x SD/Micro SD 3.0 (UHS-I)
Security Slot	✓ (Standard & Nano)	
DockWorks™ Compatible	✓	✓
Cable Length	1m	1m

# USB-C® Portable Docking Stations - Range at a Glance



**SD1650P USB-C® SINGLE 4K PORTABLE DOCK WITH 100W POWER PASS-THROUGH**

**UH1440P USB-C 5Gbps DUAL VIDEO DRIVERLESS MOBILE DOCK**

**UH1400P USB-C MOBILE DOCK WITH 85W POWER PASS-THROUGH**

	<b>K34020WW</b>	<b>K33853WW</b>	<b>K33820WW</b>
Item Code	<b>K34020WW</b>	<b>K33853WW</b>	<b>K33820WW</b>
Connectivity	USB-C <sup>1</sup>	USB-C <sup>1</sup>	USB-C <sup>1</sup>
Power Delivery	100W <sup>2</sup>	85W <sup>2</sup>	85W <sup>2</sup>
Monitors and Resolution	1 x 4K @ 30Hz (HDMI)* or 1 x Full HD @ 60Hz (VGA)	1 x 4K @ 30Hz* or Dual 1080p @ 60Hz Video*	1 x 4K @ 60Hz
Video Ports	1 x HDMI 1.4, 1 x VGA	1 x DisplayPort 1.2++, 1 x HDMI 1.4, 1 x VGA	1 x HDMI 2.0
Audio Ports		1 x Combo 3.5mm (in/out)	1 x Combo 3.5mm (in/out)
USB-A Ports	2 USB-A 3.2 Gen1 (up to 5V/0.9A/5Gbps)	1 USB-A 3.2 Gen1 (5V/1.5A/5Gbps) 2 USB-A 3.2 Gen1 (5V/0.9A/5Gbps)	1 USB-A 3.2 Gen1 (5V/1.5A/5Gbps) 2 USB-A 3.2 Gen1 (5V/0.9A/5Gbps)
USB-C Ports	1 USB-C® 3.2 Gen1 (up to 5V/3A/5Gbps)	1 USB-C® (For Power Pass Through only, up to 85W)	1 USB-C® (For Power Pass Through only, up to 85W)
Gigabit Ethernet	✓	✓	✓
Memory Card Slot		1 x SD/Micro SD 3.0 (UHS-I)	1 x SD/Micro SD 3.0 (UHS-I)
DockWorks™ Compatible		✓	
Cable Length	279mm	170mm	250mm

1. USB-C® Alt Mode 2. Pass-through using laptop's power adapter or K33821UK/EU power adapter

\* A single monitor (up to 4K @ 60Hz) is supported on macOS, iPadOS and Samsung DeX®. macOS supports dual extended monitors in mirrored mode only.

# Thunderbolt™ Docking Stations - Range at a Glance



	<b>SD5700T THUNDERBOLT™ 4 DUAL 4K DOCK WITH 90W PD</b>	<b>SD5600T THUNDERBOLT™ 3 &amp; USB-C DUAL 4K DOCK WITH 100W PD</b>	<b>SD5560T THUNDERBOLT™ &amp; USB-C DUAL 4K DOCK WITH 96W PD</b>
Item Code	<b>K35175EU</b>	<b>K34009EU</b>	<b>K37010EU/K37010UK</b>
Connectivity	Thunderbolt™ 4	Thunderbolt™ 3 / USB-C®	Thunderbolt™ 3 / USB-C®
Thunderbolt™ Ports	3 + 1 (host)	1 (host)	1 (host)
Power Delivery	90W	100W	96W
Monitors and Resolution	1 x 8K @ 60Hz or 2 x 4K @ 60Hz	2 x 4K (TB3) @60Hz or 2 x 2K (USB-C)	2 x 4K @ 60Hz or 1 x 4K @ 30Hz (USB-C Alt Mode)
Video Ports	Thunderbolt™ 4	2 x DisplayPort 1.2, 2 x HDMI 2.0	1 x Thunderbolt 3, 1 x HDMI 2.0
Audio Ports	1 x Combo 3.5mm (in/out)	1 x Combo 3.5mm (in/out)	1 x Combo 3.5mm (in/out)
USB-A Ports	In front: 1 x USB-A (5V/1.5A/BC1.2 charging) Rear: 3 x USB-A 3.2 Gen2 (5V/0.9A)	In front: 1 x USB-A 3.1 Gen2, Support BC1.2 (5V/1.5A) Rear: 5 x USB-A 3.1 Gen2 (5V/0.9A)	In front: 1 x USB-A 3.2 Gen 1 (5V/0.9A) Rear: 1 x USB-A 3.2 Gen2 (5V/0.9A) 2 x USB-A 3.2 Gen1 (5V/0.9A)
USB-C Ports	In front: 1 x Thunderbolt™ 4 Host Port (Up to 90W PD) Rear: 3 x Thunderbolt™ 4 Downstream Facing Ports	In front: 1 x USB-C® 3.1 Gen2 (5V/1.5A)	In front: 1 x USB-C® 3.2 Gen 2 (9V/2.22A) 1 x USB-C® 3.2 Gen 2 (5V/1.5A)
Memory Card Slot	1 x SD 4.0 (UHS-II)	1 x SD 4.0 (UHS-II)	
Security Slot	✓ (Standard & Nano)	✓ (Standard & Nano)	✓ (Standard & Nano)
DockWorks™ Compatible	✓	✓	✓
Cable Length	0.8m	0.8m	0.8m

# USB-C®/ USB-A Docking Stations - Range at a Glance



**SD4750P USB-C AND USB-A DUAL 4K DOCKING STATION WITH 85W POWER DELIVERY**

**SD3600 USB-A DUAL 2K DOCKING STATION**

	<b>K39105EU</b>	<b>K33991WW</b>
Item Code	<b>K39105EU</b>	<b>K33991WW</b>
Connectivity	USB-C® & USB-A <sup>1</sup>	USB-A <sup>1</sup>
Power Delivery	85W <sup>2</sup>	
Monitors and Resolution	2 x 4K @ 30Hz	2 x 2K @ 30Hz
Video Ports	2 x DisplayPort 1.2++, 2 x HDMI 2.0	1 x HDMI v1.3, 1 x DVI-I (VGA supported with included DVI to VGA or DVI to HDMI adapter)
Audio Ports	2 x 3.5mm (1 x in/ 1 x out)	2 x 3.5mm (1 x in, 1 x out)
USB-A Ports	In Front: 1x USB-A 3.2 Gen1 (BC1.2/5V/2.4A/5Gbps) Rear: 4x USB-A 3.2 Gen1 (5V/0.9A/5Gbps)	6 (2 x USB 3.0, 4 x USB 2.0)
USB-C Ports	In Front: 1 x USB-C® 3.2 Gen1 (5V/3A/5Gbps)	
Gigabit Ethernet	✓	✓
Security Slot	✓ (Standard)	✓ (Standard)
DockWorks™ Compatible	✓	✓
Cable Length	1m (USB-C/USB-A)	1m (USB 3.0)

1. Using DisplayLink™ 2. USB-C® Direct - 60W USB 3.0 via K38310EU 60W Power Splitter

# Microsoft Surface™ Docking Stations - Range at a Glance



## SD5750T THUNDERBOLT™ 4 DUAL 4K DOCKING STATION - DESIGNED FOR SURFACE

## SD1610P USB-C MOBILE DOCK WITH POWER PASS-THROUGH - DESIGNED FOR SURFACE

Item Code	K37899WW	K38365EU
Connectivity	Thunderbolt™ 4	USB-C <sup>1</sup>
Thunderbolt™ Ports	3 + 1 (host)	
Power Delivery	90W	60W <sup>2</sup>
Monitors and Resolution	1 x 8K @ 30Hz or 2 x 4K @ 60Hz	1 x 4K @ 30Hz (HDMI v1.4) or 1 x Full HD (VGA)
Video Ports	Thunderbolt 4	HDMI, VGA
Audio Ports	1 x Combo 3.5mm (in/out)	
USB-A Ports	In front: 1 x USB-A (5V/1.5A/BC1.2 charging) Rear: 3 x USB-A 3.2 Gen2 (5V/0.9A)	2 x USB-A 3.2 Gen1 Ports (5V/2.4A fast-charging/5Gbps)
USB-C Ports	Thunderbolt 4 ports support USB-C® & USB4™ In front: 1 x Thunderbolt™ 4 Host Port (Up to 90W PD) Rear: 3 x Thunderbolt™ 4 Downstream Facing Ports	1 x USB-C® 3.2 Gen1 Port (Pass-Through Power)/5Gbps
Gigabit Ethernet	✓	✓
Security Slot	✓ (Standard & Nano)	
DockWorks™ Compatible	✓	✓
Cable Length	0.8m	20.5cm (hideaway)

1. USB-C® Alt Mode    2. Pass-through using laptop's power adapter    SD5750T has a memory card reader: 1 x SD 4.0 (UHS-II)