

Part Number: K72196WW | UPC Code: 0 85896 72196 3

Comfort and sustainability in your hand

The Pro Fit™ Ergo TB550 Trackball allows users to effortlessly transition from a mouse to a trackball and unlock the ergonomic advantages and space-saving benefits it offers. The plastic in this product contains a minimum of 51% post-consumer recycled (PCR)

Whether you're working from home, the office or on-the-go, today's users seek device solutions that prioritise both comfort and productivity, whilst keeping sustainability at

The plastic in this product contains a minimum of 51% post-consumer recycled (PCR) content (excludes PCB assembly, rechargeable battery and charging cable).

Bluetooth® Low Energy or 2.4GHz wireless connectivity offer maximum flexibility.

The TB550 also features a rechargeable battery, a 4D scroll wheel and a patented ball ejection system that simplifies cleaning.

Elevate your work setup with the Pro Fit™ Ergo TB550 Trackball - where comfort, productivity and sustainability converge.



the forefront.

- Minimum 51% post-consumer recycled content of the total plastic components.
 Excludes PCB assembly and dry battery.
- 4D scroll wheel supports both vertical and horizontal scrolling
- · Rechargeable Battery
- Dual Wireless (Bluetooth® Low Energy + 2.4GHz) Connection Options
- · Patented Cleaning System
- · High-Quality Optical Tracking
- Plug & Play Installation
- 128-bit AES Encryption



reddot winner 2023



MINIMUM 51% RECYCLED CONTENT POST-CONSUMER TOTAL PLASTIC COMPONENTS

Kensington

Pro Fit[™] Ergo TB550 EQ Trackball

Part Number: K72196WW | UPC Code: 0 85896 72196 3

Sustainability Focused

Minimum 51% post-consumer recycled content of the total plastic components. Excludes PCB assembly and dry battery.

Dual Wireless Connection Options

A choice of Bluetooth® Low Energy (LE) and 2.4GHz wireless connection options (includes 2.4GHz USB-A nano receiver).





High-Quality Optical Tracking

An optical sensor accurately tracks the 34mm thumb-operated trackball, giving users smooth cursor control and optimal precision. The trackball features 4 switchable cursor speeds (400, 800, 1200 & 1600 DPI).

Ergonomic Design

The sculpted design provides all-day comfort and features a unique 45° tilt that helps improve wrist and forearm alignment. Enhanced 4D scroll wheel supports both vertical and horizontal scrolling.

Kensington

Pro Fit[™] Ergo TB550 EQ Trackball

Part Number: K72196WW | UPC Code: 0 85896 72196 3

Rechargeable Battery

The Pro Fit™ Ergo TB550 provides up to 4 months of battery life with a single charge.

Patented Cleaning System

The unique, easy-to-clean design features a built-in ejection button to effortlessly remove the trackball for cleaning when needed.



Plug & Play Installation

Users will be up and running quickly thanks to simple setup. The trackball features 7 programmable buttons that can be personalised with free KensingtonWorks™ software.

128-bit AES Encryption

The TB550 includes government-grade encryption for enhanced security to deter hackers.



Part Number: K72196WW | UPC Code: 0 85896 72196 3

| C + | D | : | |
|--------|-----|-------|-------|
| System | Rea | uurer | nents |
| | | | |

| | Operating Systems Supported | Windows 10 and above |
|---------------------|-----------------------------|--|
| | | macOS 10.14 and above |
| | | ChromeOS V91 and above |
| | DI 0 DI | iPadOS 16.4.1 and above |
| | Plug & Play | Yes for basic mousing functions |
| | Software | KensingtonWorks™ for customisation* Download from Kensington website (www.kensington.com/software) |
| | | * KensingtonWorks™ customization software only supported under Windows & macOS |
| | System Resource Requirement | Bluetooth® LE (Bluetooth® 3.0 not supported.) |
| USB Interface | | |
| | Type of USB Connector | USB-A 2.0 Connector (USB-C on the device side) |
| | Host Connector | Supports USB 2.0/3.0 Type A |
| Wireless Connection | | |
| | | Dual Wireless via Bluetooth® LE or 2.4GHz Wireless Nano Receiver |
| | USB Data Encryption | AES-128 for 2.4GHz Wireless connection |
| Wireless Range | | |
| | | Up to 10m (33') |
| USB Connections | | |
| | Ports | USB-A 2.0/3.0 ports |
| Host Connectivity | | |
| | Host Docking Connector | 2.4GHz receiver or Bluetooth® LE |
| | | |

Kensington

Pro Fit[™] Ergo TB550 EQ Trackball

Part Number: K72196WW | UPC Code: 0 85896 72196 3

| LED | Indicators | ۷, | Ruttons |
|-----|------------------|----|----------|
| | כווועווע מונטו ז | CX | DULLUIIS |

| LED Indicators & Button | S | |
|-------------------------|-----------------------|---|
| | LED Indicators | Status LED: |
| | | Flashing Red: Low Battery |
| | | Solid Red: Charging |
| | | Flashing Red: Low Battery |
| | | Channel LED: |
| | | Channel 1 : 2.4GHz |
| | | Solid Green : Connected |
| | | Flashing Green: Not connected |
| | | Channel 2: Bluetooth® LE |
| | | Solid Blue: Connected |
| | | Slow Flashing Blue: Not connected |
| | | Quick Flashing Blue: Paring Mode (lasts up to 120 secon |
| | | Channel 3: Bluetooth® LE |
| | | Solid Blue: Connected |
| | | Slow Flash Blue: Not connected |
| | | Quick Flash Blue: Paring Mode (lasts up to 120 seconds) |
| | | DPI Indicator (on the bottom): |
| | | - One blue flash: DPI 400 |
| | | - Two blue flashes: DPI 800 |
| | | - Three blue flashes: DPI 1200 - Four blue flashes: DPI 1600 |
| | Buttons | Number of buttons: 9 |
| | Ductons | Top: 8 (Left-click, Right-click, Back, Forward, Scroll- |
| | | wheel with Middle click and Right/Left-tilt, Channel- |
| | | switch + Bluetooth Paring) |
| | | Bottom: 1 (DPI Switch) |
| | | Back & Forward not available under macOS by default |
| | Programmable Buttons | 7 (Left click, Right click, Middle Click, Backward, |
| | - Togrammable battons | Forward, Right Tilt, Left Tilt) |
| Material Specifications | | |
| | Top Case | Post consumer recycled ABS |
| | Scroll Wheel | Aluminium |
| | Ball | Resin |
| | Bottom Case | Post consumer recycled ABS |
| | Bottom Anti-Slip Feet | Rubber |
| | 2.4GHz Nano Receiver | Polycarbonate |
| | Charging Cable | Braided Nylon |
| DPI Options | | |
| | DPI Options | 400, 800, 1200 and 1600DPI |
| | | |



Part Number: K72196WW | UPC Code: 0 85896 72196 3

| ν | $r \cap d $ | 1C+1 | IIMAR | isions |
|-------|--------------|------------------|-------|---------|
| | 1 ()() () | <i>1</i> (1 / | 11111 | רווטורו |

| Product Dimensions | | |
|-----------------------|---|--|
| | Unit Dimensions | 138 x 93 x 50mm (5.44 x 3.68 x 1.97") |
| | Unit Weight | 142.6g (0.31lbs) including dongle |
| | Enclosure Colour & Material | Blue-Grey / Black PC / ABS (51% ABS used is from post-consumer recycled source) |
| | USB Receiver Dimension / Weight | 19.05 x 15 x 6.5mm / 1.7g (0.75 x 0.59 x 0.26" / 0.06oz) |
| Packaging Dimensions | | |
| | Packaging Style | Retail (colour box, FSC-certified) |
| | Packaging Dimensions (individual) | 104 x 59 x 169mm (4.09 x 2.32 x 6.65") |
| | Packaging Weight (individual; all contents included) | 268g / 9.44oz |
| | Packaging Content | 1 x Pro Fit™ Ergo TB550 Trackball 1 x USB-A (male) Receiver 1 x USB-C (Male) to USB-A (Male) Charging Cable 1 x Quick Start Guide 1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card 1 x China RoHS Sheet |
| | Master Carton | 4pcs |
| | Master Carton Packaging Dimensions | 259 x 117 x 219mm (10.2 x 4.6 x 8.62") |
| | Master Carton Packaging Weight (all contents included) | 1.31kg (2.89lbs) |
| Power & Environmental | | |
| | Power Imaging | BT 3.7V / 1.94mA; 2.4GHz 3.7V / 2.11mA |
| | Power Standby | 3.7V / 0.06mA |
| | Power Adapter Rating | Output: 5V DC; 0.3A |
| | Relative Humidity | <=85% Non-Condensing |
| | Operating Temperature | 0°C to 40°C (32°F to 104°F) *Battery charges only between 10°C to 40°C (50°F to 104°F) |
| | Storage Temperature | -15°C to 60°C (5°F to 140°F) |
| Battery | | |
| | Battery Type | Rechargeable Lithium Battery (500mAh) |
| | Battery Life | Up to 4 months on a single full charge. *Actual battery life varies by use. |



Part Number: K72196WW | UPC Code: 0 85896 72196 3

Country of Origin, Regulatory and Warranty

| | Country of Origin | China |
|----------------|---------------------------------|--|
| | Warranty | 3-year Limited |
| | Certifications & Compliance | CB, CE, FCC, ISED, Telec, RCM, SRRC, DoE, CEC, NRCan BQB, WHQL |
| Sustainability | | |
| | Use of recycled material | Minimum 51% post-consumer recycled content of the total plastic components. Excludes PCB assembly and dry battery. |
| | Paper Packaging: FSC™-certified | FSC®-certified |



