



SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861

More
screens, more
speed, more
possibilities.

IT professionals working in mixed technology environments often require versatile docking solutions to optimise productivity. For users who need to manage multiple tasks simultaneously such as software developers, graphic designers or data analysts, having the capability to connect up to four external displays is essential.

The SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology is designed to meet these needs, providing a seamless connection for both Thunderbolt™ and USB-C® devices.

This high-speed dock supports stunning Quad 4K video output across Windows, macOS and ChromeOS and enhances workflow efficiency by allowing users to multitask effortlessly.


- Up to Quad 4K Video via HDMI®, DP and Thunderbolt™
- Supports Thunderbolt™ 4, Thunderbolt™ 3, USB4® and USB-C® devices
- Windows, macOS and ChromeOS compatible
- Composed of 100% post-consumer recycled (PCR) aluminium*
- Data transfer speeds up to 40Gbps
- Daisy chain support
- Intel VT-d DMA protection
- Up to 100W Charging (96W certified)
- Productive 16-in-1 design
- Security cable lock slots
- 3-Year limited warranty. This warranty does not affect your statutory rights

* The outer casing of the docking station is made of aluminium.
The PCBA and any related inner components are not made of aluminium.


SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861

Front



Back



SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology


Part Number: K35234EU | EAN Code: 5028252650861



Quad 4K Video Output

Supports up to Quad 4K @ 60Hz for Thunderbolt™ 4 devices via plug-and-play TB4 port and MacBook* models with M1/M2/M3/M4 Pro and Max chipsets via DisplayLink®. Provides flexible video connections (HDMI®, DP and TB4) without the need for cumbersome adapters.

*For MacBook models with the M4 base chipset and M1, M2 and M3 Pro or Max chipsets when the laptop lid is open (and M3 base chipset when the laptop lid is closed), this dock supports up to quad 4K @ 60Hz. It also supports up to triple 4K @ 60Hz for M1/M2 base chipsets.



Universal Compatibility

A quick and powerful solution for Thunderbolt™ 4, Thunderbolt™ 3, USB4® and USB-C® devices running Windows (10 or later), macOS (11 or later) and ChromeOS (114 or later).



Recycled Materials

The SD5920T is composed of 100% post-consumer recycled (PCR) aluminium** and is delivered in Forest Stewardship Council (FSC®) certified packaging.

** The outer casing of the docking station is made of aluminium.
The PCBA and any related inner components are not made of aluminium.



Thunderbolt™ 4 Hybrid Technology

Transfers up to 40Gbps of data, video and audio. Provides daisy chain support for SSDs, monitors and other Thunderbolt™ devices. Blocks peripheral devices from unauthorised access to system memory using Intel VT-d DMA protection.

SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861



Up to 100W Charging (96W certified)

Charges any Thunderbolt™ 4, Thunderbolt™ 3, USB4® or USB-C® laptop, while also providing power to any connected USB-C® or USB4® accessories, including phones, tablets and watches. KonstantCharge™ allows connected devices to charge even when your host device is undocked.



Productive 16-in-1 Design

16 ports deliver expanded connectivity options.

- | | |
|---|----------------------------|
| 2 x Thunderbolt™ 4 downstream ports capable of data, video, and audio | |
| 1 x Thunderbolt™ host port | 1 x DP |
| 1 x USB-C® 3.2 Gen2 10Gbps | 1 x 3.5mm combo audio jack |
| 1 x USB-A 3.2 Gen2 10Gbps | 1 x SD Card reader |
| 2 x USB-A 3.2 Gen1 5Gbps | 1 x Micro SD Card reader |
| 2 x HDMI®/DP | 1 x 2.5Gbps Ethernet |



Security Cable Lock Slots

Protect your investment with a Kensington cable lock (K65020EU or K65021WW), sold separately.



3-Year Limited Warranty

Enjoy peace of mind knowing you are covered by Kensington with a professional warranty. This warranty does not affect your statutory rights.

SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861

System Requirements

Systems Supported	Thunderbolt™ 4, Thunderbolt™ 3 and USB4 devices running Windows 11 or above, macOS 14 or above or ChromeOS 114 or above.
Operating Systems Supported	Windows 11 or above, macOS 14 or above or ChromeOS 114 or above.
Plug & Play	For video options 3, 4 and 5, up to two displays are supported as plug-and-play.
Software	Please download the latest DisplayLink driver for video options 1 and 2
System Resource Requirement	CPU: Apple M1/M2/M3/M4 chip (Base, Pro, Max), or Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
USB-C Power Delivery	PD 3.0: 5V, 9V, 15V, 20V/4.8A, up to 100W charging (96W certified)

USB Interface

Type of USB Connector	Thunderbolt™ 4
Host Connector	Thunderbolt™ 4 / USB4 / USB-C®

USB Connections

Ports	Front Panel : • 1 x Thunderbolt™ 4 Downstream Facing Port, 40Gbps (up to 5V/3A, 15W) • 1 x USB-C® 3.2 Gen2, 10Gbps (up to 5V/3A, 15W) • 1 x USB-A 3.2 Gen2, 10Gbps (up to 5V/1.5A, 7.5W) • 1 x SD Card Reader & 1 x Micro SD Card Reader (UHS-II, SD4.0) • 1 x 3.5mm Audio Combo Jack • 1 x Power Button with Power LED indicator Rear Panel : • 2 x USB-A 3.2 Gen1, 5Gbps (up to 5V/0.9A, 4.5W) • 1 x Thunderbolt™ 4 Host Port, 40Gbps (up to 96W charging) • 1 x Thunderbolt™ 4 DFP, 40Gbps (up to 5V/3A) • 2 x HDMI (4K @ 60Hz) • 2 x DP (4K @ 60Hz) • 1 x DP (up to 8K @ 60Hz) • 1 x DC input • 1 x Ethernet port 10/100/1000/2500Mbps
-------	--

SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861

Network Connections

	Ethernet Port	RJ45
	Compatible Ethernet Speeds	10/100/1000/2500Mbps

Host Connectivity


	Host Docking Connector	1 x Thunderbolt™ 4 Host Port, 40Gbps (up to 96W charging)
--	------------------------	--

Video Connections

Video Connectors		
Video 1:		1 x HDMI / DP (4K @ 60Hz)
Video 2:		1 x HDMI / DP (4K @ 60Hz)
Video 3:		1 x DP (Up to 8K @ 60Hz)
Video 4:		1 x Thunderbolt™ 4 DFP, 40Gbps (up to 5V/3A)
Video 5:		1 x Thunderbolt™ 4 DFP, 40Gbps (up to 5V/3A)
Maximum Resolution Supported		
Quad Monitors:		Up to 4K @ 60Hz each
Triple Monitors:		Up to one at 8K @ 60Hz and two at 4K @ 60Hz each
Dual Monitors:		Up to one at 8K @ 60Hz, and one at 4K @ 60Hz
Single Monitor:		Up to 8K @ 60Hz via Thunderbolt™ port
For details, please refer to the following resolution table.		
HDCP Support		
Video 3, 4, 5:		Yes
Video 1, 2:		No

SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology


Part Number: K35234EU | EAN Code: 5028252650861



Video counts	Technology	Note	I/O connection	Video resolution
	DisplayLink®	Driver installation required	① + ②	Up to 2 x 4K @ 60Hz
	Thunderbolt™	Plug and play	③ + ④	Thunderbolt™ laptop (Windows) 1 x 8K @ 60Hz + 1 x 4K @ 60Hz
			④ + ⑤	MacBook Pro and Max chipsets (macOS) Up to 2 x 6K @ 60Hz (5K+6K for M3 base chipset lid closed)
			⑤ + ③	

SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861





Video counts	Technology	Note	I/O connection	Video resolution
	DisplayLink®	Driver installation required	① + ②	Up to 2 x 4K @ 60Hz
	Thunderbolt™	Plug and play	③	Thunderbolt™ laptop (Windows) 1 x 8K @ 60Hz
			④	USB-C® Alt Mode laptop(Windows) 1 x 4K @ 60Hz
			⑤	MacBook M series base chipsets(macOS) Up to 1 x 6K @ 60Hz

SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861

C



SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861

Audio Connections

Audio Connectors	1 x 3.5mm audio combo jack
Audio Channels Supported	Stereo LR

LED Indicator

Blue LED	Power on (host connected)
Orange LED	Power on (host disconnected)

Material Specifications

Exterior	Main body outer casing: 100% PCR Aluminium
Bottom	Main body bottom casing: 73% PCR Plastic
Product Colour	Black

Other Features

Kensington Security Slot	Kensington Security Slot Kensington Nano Security Slot
--------------------------	---

Product Dimensions

Unit Weight	0.6kg (1.32lbs)
Unit Dimensions without Peripherals	225 x 85 x 22mm (8.86 x 3.35 x 0.87")
Enclosure Colour & Material	Black, 100% PCR Aluminium & 73% PCR PC+ABS
Desktop Footprint	191.22cm ² (29.68in ²)

Packaging Dimensions

Packaging Style	Retail Package (K35234EU)
Packaging Dimensions	242 x 108 x 100mm (9.53 x 4.25 x 3.94")
Packaging Weight	1.19kg (2.62lbs)
Packaging Content	1 x SD5920T 1 x 1m (3.28') Thunderbolt™ 4 Certified Passive cable 1 x 149.1W Power Supply Unit 1 x EU Power Cord 1 x UK Power Cord 1 x Quick Installation Guide 1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card
Master Carton	6pcs

SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology

Part Number: K35234EU | EAN Code: 5028252650861

Power & Environmental

Power Adapter Rating	Input: 100-240V; 2.5A max. Output: 21V DC 7.1A (149.1W)
Relative Humidity	55% operating temperature @ 25°C (77°F)
Operating Temperature	0 to 40°C (32 to 104°F)
Storage Temperature	-18 to 60°C (-0.4 to 140°F)

Country Of Origin, Regulatory, and Warranty

Country of Origin	Vietnam
Certifications & Compliance	FCC, IC, CE, UKCA, RCM, ErP, CB, RoHS, ACCO RSL, UK, PSTI
Warranty	3-Year Limited - Worldwide. This warranty does not affect your statutory rights



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2024 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT48628EN

FOR MORE INFORMATION CONTACT: contact@kensington.com