



SmartFit® Dual Monitor Arm with Crossbar and Handle

A (x1) **B (x1)** **C (x2)** **D (x1)** **E (x1)**

F (x2) **G (x1)** **H (x1)** **I (x2)**

J (x1) **K (x1)** **L (x2) M4x8** **M (x4) M5x12** **N (x6) M6x12** **O (x1) 3mm** **P (x1) 5mm** **Q (x1) 6mm**

R (x1)

x2

M-A (x4) M4x12

M-B (x4) M5x12

M-C (x4) D5

kensington.com/register


75x75
100x100

32" MAX


(1~9kg) x 2
(2.2~19.8lbs) x 2
RATED

1 CLAMP INSTALLATION


GROMMET INSTALLATION






2




3




4



5



6



To properly balance the arm with monitors mounted, adjust the spring tension using the supplied Allen Key as follows:

First, position and firmly hold the arm horizontally as shown. Ask for assistance should you require it.



CAUTION: To avoid damage to monitors or mount, always keep the arm in a horizontal position while making adjustments. Again, ask for assistance if required.



If the arm **drops**, turn the adjustment screw counter-clockwise until it stays in a horizontal position.




If the arm **rises**, turn the adjustment screw clockwise until it stays in a horizontal position.





CAUTION: **DO NOT** over tighten the screws.



7




8



9







10



1





www.kensington.com/support

Kensington® and SmartFit® are registered trademarks of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners.
© 2024 Kensington Computer Products Group, a division of ACCO Brands.
Patents: <https://www.accobrand.com/patents/>

