

SD1500 USB-C™ Mobile Dock

Part Number: K33969WW
UPC Code: 0 85896 33969 4



Designed for the on-the-go professional, the SD1500 USB-C™ Mobile Dock is ideal when you're on the road and need a compact productivity enhancer. The dock offers everything your USB-C laptop needs for 4K or 1080p HD video output, connecting to a network via Ethernet and adding a mouse, keyboard or flash drive. A hideaway USB-C cable can be tucked neatly into the dock when it's not in use, plus it's Thunderbolt™ 3 compatible.

FEATURES	BENEFITS
<ul style="list-style-type: none"> • 4K HDMI or HD VGA Video Output* (For video output, the host device must support DisplayPort™ Alt Mode over USB-C) • Hideaway USB-C Cable • USB 3.0 Port • Gigabit Ethernet Port** (**Requires a one-time LAN driver download at installation on Mac OS X) • Compact Design • Thunderbolt™ 3 Compatible 	<ul style="list-style-type: none"> • Create a Desktop like environment when on the go <ul style="list-style-type: none"> ○ Connecting to a bigger screen, stable Internet and peripherals expansion • Video ports selection fits different conference room setup <ul style="list-style-type: none"> ○ Supports 4K HDMI or Full HD VGA video output so no need to carry 2 different adapters but only one compact mobile dock

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

FRONT



LAN Port

USB-A 3.0 Port

HD VGA Port

4K UHD HDMI Port

USB-C Cable

All specifications are subject to change without notice. Please check with your supplier for exact offers.
Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

Technical Specifications

SYSTEM REQUIREMENT

- **Ethernet Driver:** Requires a one-time LAN driver download at installation on Mac OS X
- **Operating Systems Supported:** Windows 8.1, 10; Mac 10.10 or later, Chrome OS™
- **System Resource Requirement:** Host device must support DisplayPort™ Alt mode over USB-C™

HOST CONNECTIVITY

- **Host Docking Connector:** 3.1 Gen 1, 2 and Thunderbolt 3 USB-C™

VIDEO CONNECTIONS

- **Video Connectors and Max Resolutions**
 - HDMI: UHD, 3840 x 2160@30Hz
 - VGA: Full HD, 2048 x 1152@60Hz
- **HDCP Support:** Yes

USB CONNECTIONS

- **USB-A 3.0 Ports:** 1, speed up to 5Gbps

NETWORK CONNECTIONS

- **Ethernet Port:** RJ45
- **Compatible Ethernet Speeds:** 10/100/1000 Mbps

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

PRODUCT DIMENSIONS

- **Unit Dimensions:**
 - Width: 121mm (4.76in)
 - Length: 74mm (2.9in)
 - Height: 16mm (0.63in)
- **Unit Weight:** 94.08 g
- **Enclosure Color and Material:** Black PC+ABS
- **Cable length:** Tethered cable and up to 90mm

PACKAGING DIMENSIONS

- **Packaging Style:** Retail Box
- **Packaging Dimensions:**
 - Width: 44mm
 - Length: 145mm
 - Height: 200mm
- **Packaging Weight:** 170g
- **Master Carton:** 5 pcs
- **Package Content:**
 - Kensington SD1500 Dock
 - Quick Start Guide
 - Warranty Card

POWER & ENVIRONMENTAL

- **Bus Powered**
- **Operating Temperature:** 10 to 40° C (50 to 104° F)
- **Storage Temperature:** -10 to 60° C (14 to 140° F)
- **Relative Humidity:** 5% to 95% non-condensing

COUNTRY OF ORIGIN, REGULATORY, AND WARRANTY

- **Country of Origin:** China
- **Certifications and Compliance:** FCC, CE, RCM, REACH, WEEE, RoHS, HDMI 1.4 certified
- **Warranty:** 2-Years limited warranty

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.