


Kensington®



SD5920T EQ Thunderbolt™ 4 Quad 4K Hybrid Dock with DisplayLink® Technology



US



EU



UK



AU/CN



JP





IN





[kensington.com/register](https://www.kensington.com/register)

1





2






3



4




5


a




or



M3 base chipsets (Lid closed)



Video counts	Technology	Note	I/O connection	Video resolution
	DisplayLink®	Driver installation required	① + ②	Up to 2 x 4K @ 60Hz
	Thunderbolt™	Plug and play	③ + ④	Thunderbolt™ laptop (Windows) 1 x 8K @ 60Hz + 1 x 4K @ 60Hz
			④ + ⑤	MacBook Pro and Max chipsets (macOS) Up to 2 x 6K @ 60Hz (5K+6K for M3 base chipset lid closed)
			⑤ + ③	




Video counts	Technology	Note	I/O connection	Video resolution
	DisplayLink®	Driver installation required	① + ②	Up to 2 x 4K @ 60Hz
	Thunderbolt™	Plug and play	③	Thunderbolt™ laptop (Windows) 1 x 8K @ 60Hz
			④	USB-C® Alt Mode laptop (Windows) 1 x 4K @ 60Hz
			⑤	MacBook M series base chipsets (macOS) Up to 1 x 6K @ 60Hz



C




or




M3 base chipsets
(Lid closed)




Video counts	Technology	Note	I/O connection	Video resolution
	DisplayLink®	Driver installation required (Recommended**)	① + ②	Up to 2 x 4K @ 60Hz
	Thunderbolt™	Plug and play (Focus on high-resolution)	③ + ④*	Thunderbolt™ laptop (Windows) 1 x 8K @ 60Hz + 1 x 4K @ 60Hz MacBook Pro and Max chipsets (macOS) Up to 2 x 6K @ 60Hz (5K+6K for M3 base chipset lid closed)
			④ + ⑤*	
			③ + ⑤*	
	DisplayLink® + Thunderbolt™	Driver installation required	① + ③	Thunderbolt™ laptop (Windows) 1 x 8K @ 60Hz + 1 x 4K @ 60Hz MacBook M series, all chipsets (macOS) 1 x 4K @ 60Hz + 1 x 6K @ 60Hz
			① + ④	
			① + ⑤	

*USB-C® Alt Mode laptops and MacBooks with M1 and M2 base chipsets do not support dual plug-and-play displays; connect to at least one DisplayLink® port to achieve dual displays.

Video counts	Technology	Note	I/O connection	Video resolution
	Thunderbolt™	Plug and play	③	Thunderbolt™ laptop (Windows) 1 x 8K @ 60Hz
			④	USB-C® Alt Mode laptop (Windows) 1 x 4K @ 60Hz
			⑤	MacBook M series, all chipsets (macOS) 1 x 6K @ 60Hz
	DisplayLink®	Driver installation required	①	Up to 1 x 4K @ 60Hz
			②	

- DE** *USB-C®-Alt-Mode-Laptops und MacBooks mit M1- und M2-Chipsätzen unterstützen keine zwei Plug-and-Play-Displays. Schließen Sie mindestens einen DisplayLink®-Anschluss an, um zwei Displays zu verwenden.
- FR** *USB-C® Les ordinateurs portables équipés de ports Alt Mode et les MacBooks équipés de chipsets de base M1 et M2 ne prennent pas en charge deux écrans plug-and-play. Connectez-vous à au moins un DisplayLink® port pour obtenir deux écrans.
- IT** *USB-C® I portatili Alt Mode e gli MacBook con chipset base M1 e M2 non supportano due display plug-and-play; collegare ad almeno una porta DisplayLink® per poter utilizzare due display.
- ES** *USB-C® Los portátiles Alt Mode y MacBooks con chipsets de base M1 y M2 no son compatibles con dobles pantallas plug-and-play; conéctelos al menos a un puerto DisplayLink® para obtener la doble pantalla.
- PT** *Os computadores portáteis USB-C® Alt Mode e os MacBooks com chipsets de base M1 e M2 não suportam ecrãs duplos plug-and-play; ligue a pelo menos uma porta DisplayLink® para obter ecrãs duplos.
- CN** *采用 USB-C® Alt Mode 的笔记本电脑和搭载 M1 及 M2 芯片的 MacBook 不支持双即插即用输出双显示器；要实现双显示器扩展，至少需要连接到一个 DisplayLink® 端口。
- JP** *USB-C® Alt モードラップトップと M1 と M2 のベースチップセットを搭載した MacBook はデュアルプラグアンドプレイディスプレイに対応していません。1 個以上の DisplayLink® ポートに接続すると、デュアルディスプレイが実現できます。
- AE** *لا تدعم أجهزة الكمبيوتر المحمولة المزودة بوضع USB-C® Alt وأجهزة MacBook المزودة بشريحتي M1 و M2 الأساسيتين شاشات العرض المزدوجة التي تعمل بمجرد التوصيل؛ يلزم الاتصال بمنفذ DisplayLink® واحد على الأقل للحصول على العرض المزدوج.


Sold separately




Recommended:
K38343WW USB-C® to HDMI® Unidirectional 8K Cable (M/M)
for Monitor Display.

Sold separately

1




2




$\leq 13.2\text{lbs}$
 $(\leq 6.0\text{kg})$

Sold separately




Recommended
K65020WW MicroSaver® 2.0 Keyed Lock

Sold separately



Recommended
K65021WW Slim NanoSaver® 2.0 Keyed Laptop Lock





www.kensington.com/support

Kensington® is a registered trademarks of ACCO Brands. Windows is a registered trademark of Microsoft Corporation in the U.S. and/or other countries. macOS is a trademark of Apple Inc. registered in the U.S. and other countries. USB-C® is a trademark of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. DisplayLink® is a registered trademark of DisplayLink Corp. HDMI® is a registered trademark of HDMI Licensing Administrator, Inc. All other registered and unregistered trademarks are the property of their respective owners. © 2024 Kensington Computer Products Group, a division of ACCO Brands. Patents: <https://www.accobrand.com/patents/>



MIX
Paper | Supporting
responsible forestry
FSC™ C170308