

## W2000 1080p Auto Focus Webcam

Part Number: K81175WW | UPC Code: 085896811756

# Optimized for video conferencing.

Many professionals are overwhelmed by the technological knowledge needed to create an optimized desktop setup and the various software packages they need to understand and update to enhance their video conferencing experience. They need a solution that simplifies their experience. Optimized for video conferencing applications, the W2000 delivers high-quality video (1080p at 30fps), omnidirectional sound, and unique features for enhanced privacy, optimum camera placement, and improved low light imaging. Look your best and troubleshoot less with Kensington's cohesive software and accessory experience.

#### Features include:

- Optimized for Microsoft Teams, Zoom, and more
- Narrow 75° field of view keeps the focus on you
- Personalize video settings with Kensington Konnect™
- Electronic pan, tilt, and 2x zoom for focal point changes
- Manually moves 37° vertically and 360° horizontally
- · Large sensor size for low light imaging
- Omnidirectional microphone with noise cancellation
- Meets Wipe Down Protection requirements



# Kensington

## W2000 1080p Auto Focus Webcam

Part Number: K81175WW | UPC Code: 085896811756



#### Optimized Video Technology

Delivers high-quality video at 1080p (1920x1080/30fps)—with automatic focus and enhanced support for low-light environments.



#### Simple & Powerful Software

Kensington Konnect™ allows you to personalize your video settings with the click of a button and create custom use-case profiles.



#### **Privacy Focused**

Narrow 75° diagonal field of view keeps the focus on you for 1-on-1 calls, with the integrated lens cover allowing you to control when you are seen.



#### Versatile Positioning

Includes electronic pan, tilt, and 2x zoom (ePTZ) and manually moves 37° vertically and 360° horizontally so you can get the best angles.



#### **Omnidirectional Microphone**

Omnidirectional microphone with noise-reduction technology ensures you are heard.



#### Kensington Ecosystem Compatible

Create a tailored setup based on your environment and budget by combining with a Desktop Stand (SKU code: K87651) and Ring Light (SKU code: K87653); other accessories also available.

# W2000 1080p Auto Focus Webcam

Part Number: K81175WW | UPC Code: 085896811756

Wipe Down		
	Meets MIL-STD-810H Method 504.3 Contamination by Fluids testing for resistance to breakdowhen exposed to cleaning and disinfecting solvents such as alcohol and bleach for at least 24 hours.	
System Requirement		
	Operating Systems Supported	Windows 10 or later; macOS 10.15 or later; Chrome OS
	Plug & Play	Yes
	Software	Kensington Konnect: Download from Kensington website (www.kensington.com/konnect)
USB Connections		
	Cable	1.5m (5') USB-A cable with USB-A to USB-C adapter
Microphone		
	Туре	Omnidirectional Mono microphone
Camera		
	Megapixels	2
	CMOS Sensor Size	1/2.7"
	FOV	75° diagonal
	Focus	Autofocus
	Privacy Cover	Yes
	Mounting	1/4" thread mount, Mounting Clip
LED Indicator		
	RGB	Blue LED indicates Webcam is on
Material Specification:	S	
	Main Frame	ABS
	Front Cover	ABS
	Rear Cover	ABS
	Camera Cover	ABS
	Camera Lens	Plastic
	LED Light Guide	PC
	Cable	TPE
	Clip Stand Base	ABS
	Clip Rubber	TPU
	Clip Lift Base	ABS

# W2000 1080p Auto Focus Webcam

	Clip Lift Rubber Upper	Silicon Rubber
	Clip Lit Rubber Bottom	Silicon Rubber
	1/4" Insert Nut	Copper alloy
	Hinge Screw	SUS304
Product Dimensions		
	Unit Dimensions	Width: 3.50in (89mm) Length: 1.88in (48mm) Height: 2.11in (53.7mm)
	Unit Weight	4.32oz (125g)
	Enclosure Color & Material	Black / ABS
	Desktop Footprint	47.8 cm <sup>2</sup>
Packaging Dimensions		
	Packaging Style	Retail Sleeve Box
	Packaging Dimensions(Unit)	Width: 6.04in (153.5mm) Length: 6.38in (162.1mm) Height: 3.01in (76.5mm)
	Packaging Weight(Unit)	0.66lbs (0.3kg)
	Packaging Content	Webcam, USB A-to-C adapter, Instruction Guide, Compliance Sheet, Warranty, Welcome insert, China RoHS Sheet
	Master Carton	8 pcs
Power & Environmental		
	Power Imaging	No
	Power Standby	5V/0.04A 0.2W
	Power Adapter Rating	5V/200mA 1W
	Operating Temperature	0 to 40°C (32 to 104°F)
	Storage Temperature	-15 to 65°C ( 5 to 149°F)
	Relative Humidity	55% operating temperature @ 25°C
Country of Origin, Regula	tory, and Warranty	
	Country of Origin	China
	Certifications & Compliance	FCC, IC, CE, UKCA, RCM, VCCI, IEC/EN 62368-1, EUREACH, ROHS/WEEE, ACCO RSL
	Warranty	2-Year Worldwide



