



70W USB-C® GaN Power Adapter (3-Port Charger) – Multi-Device Charger for Laptops & Mobile Devices

Part Number: K38101NA | UPC Code: 0 85896 01231 3

Charge smart,
travel light.

Professionals on the go often struggle with bulky chargers that take up valuable bag space and add unnecessary weight. Power users with multiple gadgets also face challenges when wall outlets are limited, making it difficult to efficiently charge their devices.

The 70W USB-C® GaN Power Adapter solves these issues by eliminating the need for separate laptop and phone chargers, keeping your luggage light and your workspace tidy. Quickly charge your laptop in a 1-port setup or simultaneously power up to three smart devices—such as a smartphone, tablet, and smartwatch—using a single outlet.

With its compact, foldable plug design and advanced GaN technology, it offers fast, reliable charging without the bulk or clutter of traditional chargers.

- Eliminates the need for separate laptop and phone chargers
- Charges a laptop at up to 70W using a single USB-C® port
- Powers up to three smart devices simultaneously from one outlet
- Compact GaN design reduces size, weight, and heat
- Foldable plug makes it easy to pack and travel with
- Keeps bags lighter and workspaces clean and uncluttered
- 2-year limited warranty

70W USB-C® GaN Power Adapter (3-Port Charger) – Multi-Device Charger for Laptops & Mobile Devices

Part Number: K38101NA | UPC Code: 0 85896 01231 3



High-Speed 3-in-1 GaN Charger

Built with advanced GaN technology, this 3-in-1 USB-C® charger delivers efficient, cooler high-speed charging, making it ideal for MacBook Air, business laptops, tablets, and smartphones.

Sharing 70W Power Delivery

Features three ports that share power, allowing you to either charge a laptop with one port at 70W or power up to three devices simultaneously — three at 25W + 25W + 20W, or two at 45W + 25W or 35W + 35W.

Travel Ready

Compact, lightweight, and powerful — the perfect travel companion for all your USB-C® devices. A foldable plug makes it easy to pack, so you can stay charged anywhere you go.



Cable Sold Separately

Use with an existing USB-C® cable or purchase our USB-IF Certified 6.6ft USB-C® Fast-Charging Cable (K32304WW; sold separately).



A Brand You Can Trust

Meets Kensington's strict standards for quality, safety, and performance, and is backed by a two-year limited warranty.

70W USB-C® GaN Power Adapter (3-Port Charger) – Multi-Device Charger for Laptops & Mobile Devices

Part Number: K38101NA | UPC Code: 0 85896 01231 3

System Requirements

Systems Supported	Compatible with laptops, tablets, and smartphones equipped with a USB-C® port that supports USB-C® Power Delivery (PD)
Plug & Play	Yes

Interface & Connections

USB Connector Type	USB-C®
Host Docking Connectivity	USB-C® with Power Delivery (PD) up to 70W
Ports	3 x USB-C® PD ports

Product Dimensions

Unit Weight	0.29lb (0.13kg)
Unit Dimensions	1.17 x 2.21 x 1.98in (30 x 56 x 50mm)
Enclosure Color & Material	White PC

Packaging Dimensions







Packaging Style	FSC® certified brown envelope
Packaging Dimensions	Unit: 4.45 x 4.19 x 1.48in (113 x 107 x 38mm) Carton: 8.66 x 8.86 x 5.12in (220 x 225 x 130mm)
Packaging Weight	Unit: 0.42lb (0.19kg) Carton: 4.85lb (2.2kg)
Master Carton	10pcs
Packaging Content	1 x 70W USB-C® GaN Power Adapter 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet

70W USB-C® GaN Power Adapter (3-Port Charger) – Multi-Device Charger for Laptops & Mobile Devices

Part Number: K38101NA | UPC Code: 0 85896 01231 3

Power & Environmental

Power Adapter Rating

	Up to 70W	
	Up to 70W (35W+35W) (45W+25W) (25W+45W)	
	Up to 70W (25W+25W+20W) (20W+25W+25W) (25W+20W+25W)	

Input: 100–240V~ 50/60Hz 1.5A

Output:

Single Port (C1 / C2 / C3)

- PD 3.1: 5V=3A, 9V=3A, 15V=3A, 20V=3.5A (70W Max)
- PPS: 5–20V=3.5A (70W Max)

Dual Port

- C1 + C2: 25W+45W / 45W+25W / 35W+35W (70W Max)
- C1 + C3: 25W+45W / 45W+25W / 35W+35W (70W Max)
- C2 + C3: 25W+45W / 45W+25W / 35W+35W (70W Max)

Triple Port (C1 + C2 + C3)

- 25W+25W+20W / 25W+20W+25W / 20W+25W+25W (70W Max)

Relative Humidity	20 to 90%
Operating Temperature	32 to 77°F (0 to 25°C)
Storage Temperature	-4 to 185°F (-20 to 85°C)

Country of Origin, Regulatory, and Warranty

Country of Origin	Vietnam
Certifications & Compliance	FCC, IC, UL Mark, RoHS, ACCO RSL
Warranty	2-Year Limited