



SD4842P USB-C® 10Gbps Triple Video Driverless Docking Station

Part Number: K32810EU | EAN Code: 5 028252 637619

The sustainable
dock for triple
screens.

Ideal for professionals requiring a plug-and-play docking solution for USB-C laptops and organisations putting sustainability at the forefront, the SD4842P USB-C® 10Gbps Triple Video Docking Station amplifies visual productivity.

The plastic in this product contains up to 68% post-consumer recycled (PCR) content.*

Supporting up to 3 external Full HD monitors (1080p @ 120Hz) via 1 x DP and 2 x HDMI® connections, the dock eliminates the need for cumbersome adapters, charging connected accessories without the need for a host laptop connection.

Expand your screens with an effortless dock that will enhance your workflow.

Features include:


- Supports up to 3 external displays (1080p @ 120Hz) via DP and HDMI®
- The plastic in this product contains up to 68% post-consumer recycled (PCR) content.*
- Plug-and-play for Thunderbolt™ 4, Thunderbolt™ 3, USB4® and USB-C® Alt-Mode
- Up to 100W laptop charging while powering connecting accessories
- Compact GaN power supply unit offering enhanced power efficiency
- 5 x plug & charge USB ports, Gigabit Ethernet port and combo audio jack
- Fixed host cable ensures reliable connection and deters cable theft
- Up to 10Gbps data transfer speeds
- Accommodates Zero-Footprint Mounting and Kensington Security Lock
- Free Kensington Dockworks™ software
- 3-year limited warranty. This warranty does not affect your statutory rights.

*Does not include the cable, power supply or power cords


SD4842P USB-C® 10Gbps Triple Video Driverless Docking Station

Part Number: K32810EU | EAN Code: 5 028252 637619

Front




Back



SD4842P USB-C® 10Gbps Triple Video Driverless Docking Station

Part Number: K32810EU | EAN Code: 5 028252 637619



Triple Video Displays

Supports up to 3 external monitors (1080p @ 120Hz) via one DP and two HDMI® connections.



Sustainability Attributes


The plastic in this product contains up to 68% post-consumer recycled (PCR) content.*

*Does not include the cable, power supply or power cords



Up to 100W Power Delivery

Supports up to 100W laptop charging using a compact GaN technology power supply unit. The plug-and-charge feature allows continuous charging of connected devices even when the host laptop is disconnected.



Plug-and-Play

A simple plug-and-play solution for Thunderbolt™ 4, Thunderbolt™ 3, USB4® and USB-C® Alt-Mode laptops running Windows 10 or above. No drivers or downloads required.



Multiple Productivity Ports

5 x plug-and-charge USB ports support peripherals with up to 10Gbps - 2 x USB-C® 3.2 Gen2 (5V/3A) and 3 x USB-A 3.2 Gen2 (5V/0.9A). Also includes 1 x Gigabit Ethernet port and 1 x combo audio jack.



Fixed Host Cable and Compact GaN Power Supply

A fixed host cable ensures a reliable connection between the dock and the laptop, providing peace of mind against cable theft. The compact GaN technology power supply unit offers enhanced power efficiency.



Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximise desktop space by mounting your docking station out of the way. Mounting bracket sold separately (K34050WW). Protect your investment with a Kensington cable lock (K65020EU or K65021WW), sold separately.



Free Kensington DockWorks™ Software and 3-Year Limited Warranty

Free DockWorks™ software delivers the best connection, performance, and security from your Kensington dock. Enjoy peace of mind knowing your covered by Kensington with a professional warranty. This warranty does not affect your statutory rights.

SD4842P USB-C® 10Gbps Triple Video Driverless Docking Station

Part Number: K32810EU | EAN Code: 5 028252 637619

System Requirements

Systems Supported	All Laptops with USB-C port (must support USB-C Alt Mode)
Operating Systems Supported	Windows® 10 or above
Plug & Play	Yes
System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
Additional Software Information	DockWorks (Windows® 10 or above)
USB-C Power Delivery	PD3.0: 5V, 9V, 15V, 20V/5A (Up to 100W fixed Power Delivery for laptop charging)

USB Interface

Type of USB Connector	Tethered USB-C Host Cable
Host Connector	Supports Thunderbolt™ 4 / Thunderbolt™ 3 / USB4 / USB-C®

USB Connections

Ports	Front Panel : - 2 x USB-C® 3.2 Gen2, 10Gbps (up to 5V/3A) - 1 x USB-A® 3.2 Gen2, 10Gbps (up to 5V/0.9A) Back Panel : - 2 x USB-A® 3.2 Gen2, 10Gbps (up to 5V/0.9A) Side Panel : - 1 x tethered type USB-C® 3.2 Gen2 10Gbps cable (up to 100W Charging)
-------	---

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000Mbps

Host Connectivity

Host Docking Connector	USB-C tethered type cable
------------------------	---------------------------

SD4842P USB-C® 10Gbps Triple Video Driverless Docking Station

Part Number: K32810EU | EAN Code: 5 028252 637619

Video Connections

  High Resolution			
Thunderbolt™ 3/ Thunderbolt™ 4 / USB4® / USB-C® Alt Mode with DP1.4 HBR3 DSC enabled (Windows)	Up to 8K@30Hz	Up to 4K@60Hz	Up to 4K@30Hz
USB-C® Alt Mode with DP1.4 HBR3 DSC enabled (Windows)	Up to 4K@60Hz	Up to 4K@30Hz	Up to 1080p@60Hz

  High Refresh Rate			
Thunderbolt™ 3/ Thunderbolt™ 4 / USB4® / USB-C® Alt Mode with DP1.4 HBR3 DSC enabled (Windows)	Up to 1080p@240Hz	Up to 1080p@120Hz	Up to 1080p@120Hz

	Maximum Resolution Supported	Maximum resolution (DP1.4/HBR3/DSC Enabled) Single 8K @ 30Hz Dual 4K @ 60Hz Triple 1080p @ 120Hz
	HDCP Support	Yes
Audio Connections		
	Audio Connectors	1 x 3.5mm audio combo jack
	Audio Channels Supported	Stereo LR
LED Indicator		
	Blue LED	Power indicator
Material Specifications		
	Exterior and Bottom	The plastic in this product contains up to 68% post-consumer recycled (PCR) content. *Does not include the cable, power supply or power cords
	Product Colour	Black

SD4842P USB-C® 10Gbps Triple Video Driverless Docking Station

Part Number: K32810EU | EAN Code: 5 028252 637619

Other Features

	Kensington Security Slot	Kensington Security Slot Kensington Nano Security Slot
--	--------------------------	---

Product Dimensions

Unit Weight	0.293kg (0.64lbs)
Unit Dimensions without Peripherals	195 x 104 x 36mm (7.68 x 4.09 x 1.42")
Enclosure Colour & Material	Black. The plastic in this product contains up to 68% post-consumer recycled (PCR) content. *Does not include the cable, power supply or power cords
Desktop Footprint	164cm ² (25.42in ²)

Packaging Dimensions

Packaging Style	B2B Brown Box
Packaging Dimensions	245 x 110 x 100mm (9.65 x 4.33 x 3.94")
Packaging Weight	1.15kg (2.54lbs)
Packaging Content	1 x SD4842P USB-C® Triple Video Docking Station 1 x 149.1W Power Supply Unit 1 x EU power cord 1 x UK power cord 1 x Quick Installation Guide 1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card
Master Carton	6pcs

Power & Environmental

Power Adapter Rating	Input: 100-240V; 2.5A Max Output: 21V DC 7.1A (149.1W)
Relative Humidity	55% operating temperature @ 25°C (77°F)
Operating Temperature	0 to 40°C (32 to 104°F)
Storage Temperature	-18 to 60°C (-0.4 to 140°F)

Country Of Origin, Regulatory and Warranty

Country of Origin	Vietnam
Certifications & Compliance	FCC, IC, CE, UKCA, RCM, VCCI, CB, ErP, RoHS, ACCO RSL
Warranty	3-Year Limited - Worldwide. This warranty does not affect your statutory rights



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2024 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT44640EN

Kensington
The Professionals' Choice™