Kensington®

Product Sheet



# SD4902U4 EQ USB4® Docking Station

Part Number: K34041NA | UPC Code: 0 85896 04161 0

## Powered by USB4®. Ready for more.

Creative professionals who need dual displays want reliable performance - without over-complicating their setup. They also require fast media transfers and essential connectivity to maintain a clean and efficient workspace.

The SD4902U4 EQ USB4® Dock delivers up to dual 4K performance in a streamlined, driverless design built for compatible Thunderbolt™/USB4® Windows laptops, M4/M5 base, or M1–M5 Pro/Max MacBook models.

A single USB4® cable powers your laptop, supports two displays, and connects essential peripherals — creating a clean, powerful desktop setup without unnecessary complexity.

- Enables dual 4K support for compatible devices via HDMI*
- Up to 100W dynamic Power Delivery
- 13-in-1 design
- Compatible with Thunderbolt™/USB4® Windows laptops, MacBook M4/M5 base or M1–M5 Pro/Max models
- UHS-II SD and microSD readers for fast media transfers
- Zero-footprint mounting option
- Equipped with Standard (T-Bar™) and Nano security lock slots
- Free DockWorks™ software (Windows)
- Outer top casing made of 100% post-consumer (PCR) aluminum and up to 75% PCR plastic overall**
- 3-year limited warranty

* USB-C® Alt Mode laptops, M1/M2 base MacBook models, and MacBook Neo support a single external display only.
** Excludes PCBA, internal electronic components, cable, power supply and power cord.


Kensington®

Product Sheet


# SD4902U4 EQ USB4® Docking Station

**Part Number: K34041NA | UPC Code: 0 85896 04161 0**

## Front




## Back



Kensington®

Product Sheet

# SD4902U4 EQ USB4® Docking Station

Part Number: K34041NA | UPC Code: 0 85896 04161 0




### Dual 4K Display Support for Compatible Windows Laptops and MacBooks

For Windows devices, Thunderbolt™ 5, Thunderbolt™ 4, and USB4® laptops support dual 4K @ 60Hz displays via HDMI® or a single 8K @ 60Hz display via USB4® with DSC. USB-C ® Alt Mode laptops support one 4K @ 60Hz display. For MacBooks, M4/M5 base models and M1–M5 Pro and Max models support dual 4K @ 60Hz displays via HDMI®. M1/M2 base models and MacBook Neo support up to one 4K @ 60Hz display.




### Single-Cable Power and Performance

Provides up to 100W dynamic power delivery through a single USB4® connection, including up to 96W of dedicated charging for your Windows laptop or MacBook - keeping performance consistent throughout the workday.



### Productive 13-in-1 Expansion

Expand your connectivity with 2 x HDMI® 2.0, 4 x USB-A (2 x USB-A Gen1 5Gbps, 2 x USB-A Gen 2 10Gbps), 2 x USB4® 40Gbps (1 x host), 1 x USB-C® 3.2 Gen 2 10Gbps, 1 x Gigabit Ethernet port, SD and Micro SD card readers, and 1 x 3.5mm audio combo jack.

Kensington®

Product Sheet

# SD4902U4 EQ USB4® Docking Station

Part Number: K34041NA | UPC Code: 0 85896 04161 0




### High-Speed Media Transfer

Integrated UHS-II 4.0 SD and microSD card readers deliver fast media transfers - ideal for graphic designers, video editors and content creators working with large files.



### Zero-Footprint Mounting and Security Slots

Mount the dock out of sight with the optional zero-footprint mounting bracket (K34050WW, sold separately). Standard and Nano security lock slots allow the dock to be secured with compatible Kensington cable locks (K65020WW or K65021WW, sold separately).

DockWorks™

3-Year Limited Warranty

### Enterprise-Grade Support

Free DockWorks™ software for Windows enables connection monitoring, device management, and performance optimization. Backed by a 3-year limited warranty and professional Kensington support.

### EQ Attributes

Outer top casing uses 100% post-consumer recycled (PCR) aluminum and up to 75% PCR plastic overall.** Delivered in Forest Stewardship Council (FSC®) certified packaging.

* Excludes PCBA, internal electronic components, cable, power supply and power cord.

Kensington®

Technical Specifications

# SD4902U4 EQ USB4® Docking Station

**Part Number: K34041NA | UPC Code: 0 85896 04161 0**

## System Requirements

| | |
|---|---|
| Systems Supported | Supports Thunderbolt™ 5 / Thunderbolt™ 4 / USB4® / USB-C® 3.2 devices |
| Operating Systems Supported | Window 10 or above<br>Windows 11 or above<br>macOS 11 or above |
| Plug & Play | Yes |
| System Resource Requirement | CPU: Intel® Core™ i5 6th generation or above<br>Memory: 8Gb or above<br>GPU: Intel® HD Graphics 620 or above |
| USB-C® Power Delivery | PD3.0: 5V, 9V, 15V/3A & 20V/4.8A (up to 96W) |
| Additional Software | DockWorks 1.4 (Windows only) |

## USB Interface

| | |
|---|---|
| Type of USB Connector | USB-C® |
| Host Connector | Up to 40Gbps with Thunderbolt™ 5, Thunderbolt™ 4, and USB4®<br>Up to 10Gbps with USB-C® with limited functionality |

## USB, Video, and Ethernet Connections

| | |
|---|---|
| Ports - Front | 1 x USB4® Host (40Gbps)<br>1x USB4® DFP (up to PD 5V/3A, 40Gbps)<br>2 x USB-A 3.2 Gen1 5Gbps (5V/0.9A)<br>1 x SD/MicroSD (UHS-II)<br>1 x 3.5mm audio combo |
| Ports – Back | 1 x USB-C® 3.2 Gen2 10Gbps (up to 5V/1.5A)<br>2 x USB-A 3.2 Gen2 10Gbps (5V/0.9A)<br>2 x HDMI® 2.0<br>1 x Ethernet (1Gbps) |

## Network Connections

| | |
|---|---|
| Ethernet Port | RJ45 |
| Compatible Ethernet Speeds | 10/100/1000Mbps |

## Host Connectivity

| | |
|---|---|
| Host Docking Connector | USB-C® with up to 96W Power Delivery |

Kensington®

Technical Specifications

# SD4902U4 EQ USB4® Docking Station

Part Number: K34041NA | UPC Code: 0 85896 04161 0

## Video Connections

| | |
|---|---|
| Video Connectors | 1 x USB4®<br>2 x HDMI® 2.0 |
| Maximum Resolution Supported | Refer to the table below |
| HDCP Support | HDCP 1.4 & 2.3 |

Resolution Table

| Windows | High Resolution | | High Refresh Rate | |
|---|---|---|---|---|
| | USB4 | HDMI | USB4 | HDMI |
| **Thunderbolt™ 5 / Thunderbolt™ 4 / USB 4®** | 8K @ 60Hz*** via USB-C® to USB-C® | 4K @ 60Hz | 4K @ 120Hz**** via USB-C® to USB-C® | 1080p @ 240Hz |
| **USB-C® Alt Mode** | 4K @ 60Hz | 4K @ 60Hz | 4K @ 60Hz | 4K @ 60Hz |

| Windows | High Resolution | | High Refresh Rate | |
|---|---|---|---|---|
| | USB4 + HDMI | HDMI + HDMI | USB4 + HDMI | HDMI + HDMI |
| **Thunderbolt™ 5 / Thunderbolt™ 4 / USB 4®** | 8K @ 60Hz*** + 4K @ 60Hz | 2 x 4K @ 60Hz | 2K @ 120Hz + 1080p @ 240Hz | 2 x 1080p @ 240Hz |
| **USB-C® Alt Mode** | | | | |

Kensington®

**Technical Specifications**


# SD4902U4 EQ USB4® Docking Station

Part Number: K34041NA | UPC Code: 0 85896 04161 0

| macOS | 1 Display | | | |
|---|---|---|---|---|
| | High Resolution | | High Refresh Rate | |
| | ★ USB4 | HDMI | ★ USB4 | HDMI |
| **M5 Max/Pro**<br>**M4 Max/Pro**<br>**M4/M5 Base**<br>**M2/M3 Max/Pro**<br>**M3 Base (Lid closed)** | 6K @ 60Hz*** via USB-C® to USB-C® | 4K @ 60Hz | 4K @ 120Hz**** | 4K @ 60Hz |
| **M1 Max/Pro** | | | | |
| **M1/M2 Base** | | | | |
| **MacBook Neo** | 4K @ 60Hz | 4K @ 30Hz | 4K @ 60Hz | 4K @ 30Hz |

| macOS | 2 Displays | | | |
|---|---|---|---|---|
| | High Resolution | | High Refresh Rate | |
| | ★ USB4 + HDMI | HDMI + HDMI | ★ USB4 + HDMI | HDMI + HDMI |
| **M5 Max/Pro**<br>**M4 Max/Pro**<br>**M4/M5 Base**<br>**M2/M3 Max/Pro**<br>**M3 Base (Lid closed)** | 6K @ 60Hz**** + 4K @ 60Hz | 2 x 4K @ 60Hz | 4K @ 120Hz*** + 4K @ 60Hz | 2 x 4K @ 60Hz |
| **M1 Max/Pro** | 2 x 4K @ 60Hz | 2 x 4K @ 60Hz | 2 x 4K @ 60Hz | 2 x 4K @ 60Hz |
| **M1/M2 Base** | | | | |
| **MacBook Neo** | | | | |

★ USB4




*** Achieving the maximum resolution and high refresh rates depends on the capabilities of the host device, monitors, and video cable used.

**** When connecting a monitor via the Thunderbolt™ video port, HDMI® adapters or USB-C® to HDMI® cables support up to 4K @ 60Hz only on MacBook (due to HDMI® 2.0 limitations over Thunderbolt™). For higher refresh rates, use a USB-C® to USB-C® or USB-C® to DisplayPort cable, such as the Kensington 8K adapter (K34680WW).

Kensington®

Technical Specifications

# SD4902U4 EQ USB4® Docking Station

**Part Number: K34041NA | UPC Code: 0 85896 04161 0**

## Audio Connections

| | |
|---|---|
| Audio Connectors | 1 x 3.5mm audio combo jack |
| Audio Channels Supported | Stereo L/R |

## LED Indicators

| | |
|---|---|
| Power Indicator | Blue LED |

## Material Specifications

| | |
|---|---|
| Exterior | Matte PCR Aluminum |
| Interior | Post-consumer recycled (PCR) PC + ABS |
| Bottom | Post-consumer recycled (PCR) PC + ABS |
| Enclosure Color & Material | PMS Black |
| Post-Consumer Recycled Content | The outer top casing is made with 100% post-consumer recycled (PCR) aluminum, and the product contains up to 75% PCR plastic overall. |

## Other Features

| | |
|---|---|
| Security Slot | Kensington Security Slot<br>Kensington Nano Security Slot |
| Mounting Option | Mounting bracket (K34050WW) sold separately |

## Product Dimensions

| | |
|---|---|
| Unit Weight | 0.77lbs (0.35kg) |
| Unit without Peripherals | 8.86 x 3.35 x 0.87" (225 x 85 x 22mm) |
| Cable | Diameter: 0.22" (5mm) Length: 4.9' (1.5m) |
| Desktop Footprint | 29.68in² (191cm²) |

## Packaging Dimensions

| | |
|---|---|
| Packaging Style | FSC® certified brown box |
| Packaging Dimensions | 9.53 × 4.25 × 3.94" (242 x 108 x 100mm) |
| Packaging Weight | 2.62lbs (1.19kg) |
| Packaging Content | 1 x SD4902U4 EQ USB4® Driverless Docking Station<br>1 x USB4® Cable<br>1 x 134.4W Power Supply Unit<br>1 x NA Power Cord<br>1 x Quick Installation Guide<br>1 x Compliance Sheet<br>1 x Warranty Card |
| Master Carton | 6pcs |

Kensington®

**Technical Specifications**

# SD4902U4 EQ USB4® Docking Station

**Part Number: K34041NA | UPC Code: 0 85896 04161 0**

## Power & Environmental

| | |
|---|---|
| Power Adapter Rating | Input: 100-240V; AC 50/60Hz; 2A<br>Output: 21V DC 6.4A (134.4W) |
| Relative Humidity | 10 to 90% operating temperature @ 77°F (25°C) |
| Operating Temperature | 32 to 104°F (0 to 40°C) |
| Storage Temperature | 32 to 158°F (0 to 70°C) |

## Country of Origin, Regulatory, and Warranty

| | |
|---|---|
| Country of Origin | Vietnam |
| Certifications & Compliance | CE, FCC, ICES, RCM, UKCA, CB, UK PSTI, RoHS, REACH, ACCO RSL |
| Warranty | 3-Year Limited |

ACCO BRANDS

All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2026 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT55185NA

Kensington
The Professionals' Choice™

**FOR MORE INFORMATION CONTACT:** contact@kensington.com