

# MY230 EQ Rechargeable Mouse

Part Number: K75304WW | UPC code: 0 85896 75304 9

Rechargeable, reliable, and partially recycled.

Professionals are frequently challenged to find reliable and budget-friendly rechargeable mice that contain more sustainable materials. Many are frustrated by mice that lack durability, security or compatibility with various operating systems.

The MY230 EQ Rechargeable Mouse tackles these issues by offering a wireless solution that enhances productivity while integrating more recycled materials.

It offers 2.4GHz or Bluetooth® wireless connectivity options and a long-lasting rechargeable battery for months of productivity without the need for frequent recharging.

- Includes 31% post-consumer recycled (PCR) plastic\*
- Connects via 2.4GHz wireless USB-A nano receiver or Bluetooth® (BT 5.0)
- · Windows and macOS compatible
- Rechargeable 500mAh battery
- Supports up to 4 months of productivity with a single charge
- · Quiet-click ambidextrous design
- · LED indicators for battery life and pairing channels
- Customise via free KensingtonWorks™ software
- · 3-year limited warranty



<sup>\*</sup> Excludes PCB assembly, rechargeable battery, 2.4GHz dongle and charging cable.

# Kensington

## MY230 EQ Rechargeable Mouse

Part Number: K75304WW | UPC code: 0 85896 75304 9



#### More Sustainable

Aimed at increasing our use of recycled material, this product contains 31% post-consumer recycled (PCR) plastic.\*

\*Excludes PCB assembly, rechargeable battery, 2.4GHz dongle and charging cable.



### Reliable Wireless Connection Options

Provides two convenient and secure connectivity options: a compact USB-A nano receiver for a reliable 2.4GHz wireless connection with government-grade AES 128-bit encryption and Bluetooth® (BT 5.0) for seamless wireless connectivity. Windows and macOS compatible.



### Rechargeable 500mAh Battery

Supports up to 3 months of productivity on a single charge. Includes USB-A to USB-C® charging cable.



### Quiet-Click Ambidextrous Design

Significantly quieter than a standard mouse, MY230 reduces noise in busy workplaces. Comfortable for both left and right-handed users, it features a centre scroll wheel with 3 buttons



**LED Indicators** 

Convenient lights offer visual confirmation of battery life and pairing channels.



### Connect & Use or Customise with KensingtonWorks™

Supports standard button functionality for instant connectivity or use free downloadable KensingtonWorks™ software to customise your experience to fit workflow needs



### 3-Year Limited Warranty

Enjoy peace of mind knowing you are covered by Kensington with a 3-year limited warranty.



# MY230 EQ Rechargeable Mouse

Part Number: K75304WW | UPC code: 0 85896 75304 9

System Requirements		
		1x USB-C port for charging mouse
		1x USB-A port for wireless dongle
Operating Systems Supp	ported	
		Windows, macOS
Mice Product Features		
	Connection	2.4GHz, Bluetooth® 5.0
	Multi-device	Up to 2 (1 x 2.4GHz, 1 x BT 5.0)
	Buttons	3
	DPI	1200
	Switches	Silent
	PCR material	Includes 31% post-consumer recycled (PCR) content of total plastic components. (Excludes PCB assembly, rechargeable battery & charging cable)
	Charging time	3 hours to fully charged from low battery
	Battery life	At least 3 months after full charged
	KensingtonWorks™ Support	Windows and macOS
Product Dimensions		
	Unit Dimension	65 x 113 x 34mm (2.56 x 4.44 x 1.33")
	Unit Weight	0.06kg (0.13lbs)
Packaging Dimensions		
	Packaging Style	EQ brown box (FSC®)
	Packaging Dimensions	48 x 90 x 118mm (1.89 x 3.54 x 4.65")
	Packaging Weight	0.14kg (0.31lbs)
	Packaging Content	1 x MY230 1 x 1.8m (6') USB-C to USB-A Cable 1 x 2.4GHz Wireless Nano Dongle 1 x Instruction Guide 1 x Compliance Sheet 1 x Warranty Card
	Master Carton	5pcs
	Master Carton Dimensions	102 x 265 x 146mm (4.02 x 10.46 x 5.75")
	Master Carton Weight	0.9kg (1.98lbs)



# MY230 EQ Rechargeable Mouse

Part Number: K75304WW | UPC code: 0 85896 75304 9

#### Power and Environmental

Battery	500mAh rechargeable battery
Operating Temperature	0 to 40°C (32 to 104°F)
Storage Temperature	-15 to 60°C (5 to 140°F)
Relative Humidity	0% to 85% non-condensing

### Country of Origin, Regulatory and Warranty

Country of Origin	China
Warranty	3-Years Limited Warranty
Certifications & Compliance	FCC, IC, CE, UKCA, RCM, CB, BCS (DoE/CEC/NRCan), UK PSTI, WEEE, RoHS, ACCO RSL



