



## Charge & Sync Cables

Charge & Sync Lightning Cable (5-pack)  
Charge & Sync USB-C Cable (5-pack)

Part Number: K67864WWA | UPC Code: 0 85896 67864 9  
Part Number: K65610WW | UPC Code: 0 85896 65610 4

Gold standard  
performance  
and strength.

For gold-standard cable performance and strength, look no further than Charge & Sync cables. Great for any application and perfectly suited for Kensington Charge & Sync cabinets, allowing the cabinet door clearance to close completely. Charge, sync videos, music, photos and more. The encased anti-twist abrasion-resistant cable is tested to withstand at least 10,000 cycles of 90° bends. Its compact length (327mm/12.9") helps reduce cable clutter and resists tangles. Copper wire ensures quality and reliability. Available with Lightning or USB-C connectors.

Features include:

- Outstanding performance - charge, sync videos, music, photos and more
- Encased anti-twist abrasion-resistant cable tested to withstand at least 10,000 cycles of 90° bends
- Compact length (327mm/12.9") helps reduce cable clutter and resists tangles
- 90° USB-A connector is perfectly suited for Kensington Charge & Sync cabinets, allowing the door clearance to close completely
- Copper wire ensures quality and reliability
- Available with Lightning or USB-C connectors



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT35887EN

**Kensington**  
The Professionals' Choice™

## Charge & Sync Cables

Charge & Sync Lightning Cable (5-pack)

Part Number: K67864WWA | UPC Code: 0 85896 67864 9

Charge & Sync USB-C Cable (5-pack)

Part Number: K65610WW | UPC Code: 0 85896 65610 4



### Performance


Charge, sync videos, music, photos and more.

### Reliability

Encased anti-twist abrasion-resistant cable is tested to withstand at least 10,000 cycles of 90° bends.

### Perfectly Suited for Kensington Charge & Sync Cabinets

A 90° USB-A connector allows the door of Charge & Sync cabinets enough clearance to close completely.



### Compact Length

327mm (12.9") cable helps reduce cable clutter and resists tangles.

### Copper Wire

Delivers a quality connection.

### Lightning or USB-C Connectors

To suit your needs.

## Charge & Sync Cables

Charge & Sync Lightning Cable (5-pack) Part Number: K67864WWA | UPC Code: 0 85896 67864 9

### Hardware

Cable Jacket Type	TPE-Thermoplastic Elastomer
Cable Shield Type	Aluminium Foil with Braid
Connector Plating	Nickel plated
Fire Rating	VW-1
Number of Conductors	4

### Connector(s)

Connector A	USB-A Male 2.0 (4-pin) Nickel plated, 90° bend
Connector B	Lightning Male (4-pin) Nickel plated

### Physical Characteristics

Cable Length	327mm (12.9")
Cable Outside Diameter	3.0mm (0.12")
Colour	Black
Connector A Style	Right-Angled
Connector B Style	Straight
Weight Of Product	12g (0.42oz)
Wire Gauge	22+29AWG
Data Transfer Speed	Up to 480Mbps
Max Charging Current	Fast charge (up to 2.1A)



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT35887EN

## Charge & Sync Cables

Charge & Sync USB-C Cable (5-pack)

Part Number: K65610WW | UPC Code: 0 85896 65610 4

### Hardware

Cable Jacket Type	TPE-Thermoplastic Elastomer
Cable Shield Type	Aluminium Foil with Braid
Connector Plating	Nickel plated
Fire Rating	VW-1
Number of Conductors	4

### Connector(s)

Connector A	USB-A Male 2.0 (4-pin) Nickel plated, 90° bend
Connector B	USB-C Male 2.0 (24-pin) Nickel plated

### Physical Characteristics

Cable Length	327mm (12.9")
Cable Outside Diameter	3.0mm (0.12")
Colour	Black
Connector A Style	Right-Angled
Connector B Style	Straight
Weight Of Product	10g (0.35oz)
Wire Gauge	24+32AWG
Data Transfer Speed	Up to 480Mbps
Max Charging Current	Fast charge (up to 60W, 20V@3A)
Note	Up to 2.1A when used with Charge & Sync Cabinet (K67862EU)



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT35887EN

**Kensington**  
The Professionals' Choice™