
Kensington[®]





SD5780T Thunderbolt™ 4 Dual 4K Dock






kensington.com/register












^{*} USB Battery Charging 1.2-compliant devices











			Hz
Thunderbolt™ 3 / Thunderbolt™ 4 / USB4 (Windows)	8K @ 60Hz*	4K @ 60Hz	1 x 4K up to 120Hz or 1 x 2K up to 240Hz
Thunderbolt™ 3 / Thunderbolt™ 4 / (macOS)	6K @ 60Hz	4K @ 60Hz	
MacBook M1 Pro / Pro Max	6K @ 60Hz	6K @ 60Hz	
USB-C Alt Mode (Windows)	4K @ 60Hz		1
MacBook M1 / iPad Pro	6K @ 60Hz		


^{*} Support for Display Stream Compression (DSC) is based on the host device and monitor capabilities.




Initial Thunderbolt™ 4 connection for Windows


New Thunderbolt™ device have been attached Thunderbolt™ devices were attached. In order to approve them for use this application must be run with administrator privileges. Click OK to run the Thunderbolt™ software with administrator privileges. OK 6.1 Manage Thunderbolt™ 4 devices and settings later 6.2 View Attached Devices Approve Attached Devices > Manage Approved Device Settings Exit

Sold separately K34050 < = 13.2lbs (< = 6.0 kg)



Recommended K65020WW MicroSaver®2.0 Keyed Lock







www.kensington.com/support

Kensington and the ACCO name and design are registered trademarks of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. ©2022 Kensington Computer Products Group, a division of ACCO Brands. Any unauthorized copying, duplicating, or other reproduction of the contents hereof is prohibited without written consent from Kensington Computer Products Group. All rights reserved. 02/22

















K33040 901-5475-00