



SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

The versatile & sustainable dock

Ideal for professionals seeking a single docking solution that can cater to mixed estates, can cater to mixed estates and organisations putting sustainability at the forefront, the SD4781P EQ USB-C® & USB-A Dual 4K Docking Station is a versatile dock that supports the latest USB-C® and legacy USB-A* laptops with video, data, and power—including dual monitor support for MacBook M1/M2 laptops.

Providing a superb video experience with support for up to 2 external Ultra HD monitors (4K @ 60Hz), and the ability to select between HDMI® 2.0 and DP++ 1.2 connections (4 video ports for up to 2 external displays), SD4781P offers flexible display options without the need for adapters or dongles.

Supporting up to 10Gbps data transfer speeds via 6 USB ports and up to 100W of Power Delivery, the SD4781P USB-C® & USB-A Dual 4K Docking satisfies the video, data, and power needs of most workstation setups.


- Supports USB-C® and legacy USB-A laptops
- The plastic in this product contains up to 50% post-consumer recycled (PCR) content.*Excludes the cable, power supply or power cords
- Dual 4K Video via HDMI® 2.0 and DP++ 1.2
- Up to 100W of Power Delivery to compatible laptops while powering connected accessories
- Up to 10Gbps data transfer speeds via 1 x USB-C® port and 5 x USB-A ports
- Secure screw lock connector for host cable is ideal for hot desking and busy office environments
- Accommodates Zero-Footprint Mounting and Kensington Security Lock
- Free Kensington Dockworks™ software
- 3-year limited warranty



*USB-A devices will need an alternative source or power.

SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718



Universal Compatibility

Supports USB-C® and legacy USB-A laptops running Windows 7 or above, macOS 10.14 or above, Chrome OS 44 or above.



Sustainability Attributes

The plastic in this product contains up to 50% post-consumer recycled (PCR) content*.

*Excludes the cable, power supply, or power cord



Multiple Ports

Supports USB-C® and Delivers speeds up to 10Gbps via 1 x USB-C® port and 5 x USB-A ports. Also includes 2 x HDMI® 2.0 ports, 2 x DP++ 1.2 ports, a Gigabit Ethernet port, and an audio combo jack.



Secure Screw Lock Connection

Host USB-C cable includes a screw lock to ensure the cable remains in place even in busy office environments.



Dual 4K Video via HDMI® 2.0 and DP++ 1.2

Four video ports allow you to select between HDMI® 2.0 and DP++ 1.2 without the need for cumbersome adapters. Also supports M1/M2 MacBook with dual displays.



Up to 100W Power Delivery

Delivers power to laptop, docking station, and connected accessories. Supports up to 100W for USB-C® Alt Mode laptops. USB-A laptops will require an alternative source of power.



Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximize desktop space by mounting your docking station out of the way. Mounting bracket sold separately (K34050WW). Protect your investment with a Kensington cable lock (K65020EU or K65021WW), sold separately.



Industry-Leading Quality, Warranty, and Support

Built with quality in mind, we stand behind the SD4781P USB-C® and USB-A Dual 4K Docking Station with a three-year limited warranty.

SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

System Requirements

| | |
|---------------------------------|---|
| Systems Supported | All laptops with DisplayLink software |
| Operating Systems Supported | Windows® 7 or above macOS 10.14 or above Chrome OS 44 or above |
| Plug & Play | No * All Chromebooks using Chrome OS build R51 or later will work with DisplayLink docks and adapters without additional driver installation * Windows 10 S products using DisplayLink technology will get their device drivers either from OEM pre-installation or from Windows Update |
| Software | Download from DisplayLink website (https://www.displaylink.com/downloads) |
| System Resource Requirement | CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above |
| Additional Software Information | DockWorks (Windows® 10 or above) |
| USB-C Power Delivery | PD3.0: 5V, 9V, 15V, 20V/5A (up to 100W) |

USB Interface

| | |
|-----------------------|--|
| Type of USB Connector | USB-C Screw Lock Connector with USB-A adapter |
| Host Connector | Supports Thunderbolt™ 4 / Thunderbolt™ 3 / USB4 / USB-C® / USB-A |

USB Connections

| | |
|-------|--|
| Ports | Front Panel : <ul style="list-style-type: none">• 1 x USB-A 3.2 Gen2 10Gbps (5V/1.5A, supports BC 1.2*) *USB Battery Charging 1.2-compliant devices (up to 5V/ 2.4A for Apple Devices)• 1 x USB-C 3.2 Gen2 10Gbps (5V/3A , up to 9V/2A) Back Panel : <ul style="list-style-type: none">• 4 x USB-A 3.2 Gen1 5Gbps (5V/0.9A) |
|-------|--|

Network Connections

| | |
|----------------------------|------------------|
| Ethernet Port | RJ45 |
| Compatible Ethernet Speeds | 10/100/1000 Mbps |

Host Connectivity

| | |
|------------------------|--|
| Host Docking Connector | Connecting with USB-C: Power Delivery up to 100W |
|------------------------|--|

SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

Video Connections

| | |
|------------------------------|---|
| Video Connectors | 2 x DisplayPort ++ v1.2 2 x HDMI 2.0 |
| Maximum Resolution Supported | Single Monitor: 4096 x 2160 @ 60Hz Dual Monitors: 4096 x 2160 @ 60Hz |

Audio Connections

| | |
|--------------------------|----------------------------|
| Audio Connectors | 1 x 3.5mm audio combo jack |
| Audio Channels Supported | Stereo LR |

Led Indicator

| | |
|----------|-----------------|
| Blue LED | Power indicator |
|----------|-----------------|

Material Specifications

| | |
|---------------|---|
| Exterior | The plastic in this product contains up to 50% post-consumer recycled (PCR) content*. *Excludes the cable, power supply, or power cord |
| Bottom | Metal Base Plate: sheet metal |
| Product Color | PMS Black |

Other Features

| | |
|--------------------------|---|
| Kensington Security Slot | Kensington Security Slot Kensington Nano Security Slot |
|--------------------------|---|

Product Dimensions

| | |
|-------------------------------------|--|
| Unit Weight | 0.85lbs (0.385kg) |
| Unit Dimensions without Peripherals | 8.26 x 3.54 x 1.18" (210 x 90 x 30.0 mm) |
| Desktop Footprint | 29.29 in ² (189 cm ²) |

Packaging Dimensions

| | |
|----------------------|--|
| Packaging Style | Bulk Package (K33603EU) |
| Packaging Dimensions | 9.25 x 5.91 x 3.62" (235 x 150 x 90 mm) |
| Packaging Weight | 3.22 lbs (1.46 kg) |
| Packaging Content | 1 x SD4781P USB-C & USB-A Dual 4K Docking Station 1 x USB-C 3.2 Gen2 Cable with USB-A Adapter and Screw Lock 1 x 170W Power Supply Unit 1 x EU Power Cord 1 x UK Power Cord 1 x Quick Installation Guide 1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card |
| Master Carton | 6 |

Power & Environmental

SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

| | |
|-----------------------|---|
| Power Adapter Rating | Input: 100-240V; 1.8A Output: 20V DC 8.5A (170W) |
| Relative Humidity | 55% operating temperature @ 77°F (25°C) |
| Operating Temperature | 32 to 104°F (0 to 40°C) |
| Storage Temperature | -0.4 to 140°F (-18 to 60°C) |

Country of Origin, Regulatory, and Warranty

| | |
|-----------------------------|--|
| Country of Origin | Thailand |
| Certifications & Compliance | FCC, IC, CE, CB, ErP, RoHs, ACCO RSL, UKCA |
| Warranty | 3-Year Limited - Worldwide |



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2024 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k23-23032p

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com